

235 a 16

THE
BOTANIST'S CALENDAR,
AND
POCKET FLORA:

ARRANGED ACCORDING TO THE
LINNÆAN SYSTEM.

To which are added,
REFERENCES TO THE BEST FIGURES
OF
BRITISH PLANTS.

IN TWO VOLUMES.

VOLUME II.

LONDON:
PRINTED BY T. BENSLEY,
FOR B. AND J. WHITE, FLEET-STREET.

1797.



Entered at Stationers' Hall.

THE
Botanist's Calendar.

JULY.

CHA'RA. See Gen. Ch. p. 150.

C. Stems smooth: leaves toothed *vulgaris.*
on the inner side.

With. Arr. 2. E. Bot. 336.

Whole Plants yellowish, or reddish
green.

Common Stonewort.

Aug. Mo. Mo.

Ditches, pools.

CIRCE' A. See Gen. Ch. p. 151.

C. Stem prostrate, supporting a *alpina.*
single bunch of flowers: leaves
heart-shaped: stem very much
branched, depressed; leaves heart-
shaped, toothed, pale: leaves
heart-shaped, pointed.

With. Arr. 11.

Enchanter's Nightshade. Rocky Di. Mo.
woods.

VERONICA. See Gen. Ch. p. 5.

hy'brida.

V. Spikes terminating: leaves opposite, bluntly ferrated, rough: stem upright: spikes cylindrical: leaves spear-egg-shaped.

With. Arr. 12.

Bloss. blue.

Di. Mo.

Welsh Speedwell. Mountains, rocks.

Anagallis.

V. Bunches lateral: leaves spear-shaped, ferrated: stem upright.

With. Arr. 15. *Curt.* 5.

Bloss. pale purplish blue.

Slow streams, ditches. Aug.

Di. Mo.

Var. 1. *Bloss.* of a beautiful pink.

UTRICULARIA. *Bloss.* gaping, ending in a spur: *Cal.* 2 leaves: *Caps.* 1 cell.

vulgaris.

U. Nectary conical: stalk with few flowers.

With. Arr. 19. *E. Bot.* 253.

Bloss. full yellow.

Di. Mo.

Hooded Water Millfoil. Wet ditches, stagnant waters.

minor.

U. Nectary keel-shaped.

With. Arr. 20. *E. Bot.* 254.

Bloss. pale yellow.

Lesser Bladder-snout. Ditches, Di. Mo.
muddy ponds.

LYCOPUS. *Bloss.* 4-cleft: 1 segment notched at the end: *Stamens* distant: *Seeds* 4, blunt.

L. Leaves indented and ferrated. europæus.

With. Arr. 20. *Curt.* 3. Sept.

Bloss. whitish, with a tinge of purple.

Water-Horehound. Gypsywort. Di. Mo.

O'PHRYS. See Gen. Ch. p. 34.

O. Bulb globular: stalk naked: *Monorchis*.
lip of the nectary 3-cleft: cross-shaped.

With. Arr. 36. *E. Bot.* 71.

Flowers small, greenish yellow,
with a faint musky scent.

Yellow Orchis. *Musk Orchis*, or
Twayblade. Barren pastures in Di. Mo.
a calcareous soil.

SERAPIAS. See Gen. Ch. p. 71.

grandiflora. S. Leaves egg-spear-shaped: floral leaves as long as the capsule: flowers upright: lip of the nectary blunt, shorter than the petals.

With. Arr. 42. E. Bot. 271.

Di. Mo. *White Helleborine.* Woods, thickets.

ensifolia. S. Leaves sword-shaped, pointing from 2 opposite lines: floral leaves very minute: flowers upright: lip of the nectary blunt, shorter than the petals.

Di. Mo. *With. Arr. 42.*

Sword-leaved Helleborine. Woods in the North.

CYPRIPED'IDIUM. *Nectary* bellying, inflated, hollow.

calceolus. C. Root fibrous: leaves egg-spear-shaped, those in the stem alternate.

With. Arr. 43. E. Bot. 1.

Di. Mo. *Ladies Slipper.* Woods in the North.

LEM'NA. See Gen. Ch. p. 71.

P. Leaves fitting, hemispherical gibba.
underneath: roots solitary.

With. Arr. 44.

Gibbous Duck - meat. Ditches,
ponds. Aug. Di. Mo.

SA'LIX. See Gen. Ch. p. 31.

S. Leaves circular. herbacea.

With. Arr. 48.

Flowers yellow.

Herbaceous Willow. Mountains. Di. Mo.

IRIS. See Gen. Ch. p. 160.

I. Leaves channelled, awl-shaped: Xiphium.
stem 2-flowered.

With. Arr. 69.

Bluff. purplish blue.

Bulbous-rooted Flower-de-luce.

River-side near Fladbury. Tri. Mo.

GAL'IUM. See Gen. Ch. p. 77.

G. Leaves strap-shaped, smooth, montanum.
about 4 in a whirl: stem feeble,
rough: leaves reflected.

With. Arr. 187.

Bloss. purple on the outside.
Tet. Mo. Handsworth Heath.

prostratus G. Leaves spear-egg-shaped, 4, 5, or 6 in a whirl: dagger-pointed, smooth, expanding: stem prostrate, smooth.

With. Arr. 187.

Bloss. white, sometimes purplish on the outside.

Tet. Mo. *Trailing Goosegrafs.* Heaths, mountains.

uliginosum G. Leaves in sixes, spear-shaped, dagger-pointed, stiff, bowed backwards: serratures prickly: blossoms larger than the fruit.

With. Arr. 188.

Bloss. white, and rose-coloured.

Tet. Mo. *Marsh Goose-grafs.* Meadows, wet heaths.

pustulum G. Leaves 8 in a whirl, rough with hairs, strap-shaped, tapering to a point: whirls crowded at the base of the stem: fruit-stalks forked.

With. Arr. 188. *E. Bot.* 74.

Flowers white.

Least Goose-grass. Aug.

Limestone hills, Kendal. Tet. Mo.

G. Leaves 4 in a whirl, spear-shaped, smooth, 3-fibred: stem upright. boreale.

With. Arr. 192. E. Bot. 105.

Bloss. of a beautiful white. Tet. Mo.

Cross-wort Maddar. Mountains.
Aug.

EXACUM. *Bloss.* 4-cleft, tube globular: *Cal.* 4 leaves, or with 4 divisions: *Caps.* 2-furrowed, 2-celled, many seeded, opening at the top.

E. Blossoms with 4 clefts, on long filiforme.
fruit-stalks: leaves sitting: stem forked.

With. Arr. 194. E. Bot. 235.

Bloss. yellow.

Least Gentian. Marsh Centory.

Marshes in Cornwall. Tet. Mo.

URTICA. Flowers Male and Fem.
apart: *Calyx* 4-leaved: *Bloss.*
none.

Male. *Nectary* in the centre:
glass-shaped.

Fem. *Cal.* 2, opposite leaflets
very small: *Summit* hairy:
Seed 1, egg-shaped, shining.

dioica. U. Leaves opposite, heart-shaped:
bunches in pairs.

With. Arr. 201. *Curt.* 6.

Woodv. 146.

Tet. Mo. Common Nettle. Ditch banks.

úrens. U. Leaves opposite, oval: stem
branched.

With. Arr. 202. *Curt.* 6.

Tet. Mo. Lesser Nettle. Rubbish. Sept.

ERIOCAULON. *Cal.* common, a tiled
head: *Male* florets in the centre
of 1 petal: *Fem.* in the circum-
ference, 2-petalled: *Caps.* 2 cells:
Seeds 2.

septangulare E. Stalk with 7 angles, sheathed
at the base: leaves sword-shaped.

With. Arr. 184.

Tet. Mo. Wreathed Pipewort. Lake in the
Isle of Sky.

ALCHEMIL'LA. See Gen. Ch. p.
169.

A. Leaves with finger-like divisions, alpina.
ferrated.

With. Arr. 205. *E. Bot.* 244.

Flowers greenish.

Cinquefoil Ladies Mantle. Moun- Tet. Mo.
tains in the North.

CU'SCUTA. *Cal.* 4 or 5-cleft: *Bloff.*
1 petal: *Capf.* 2-celled, cut round:
Seeds in pairs.

C. Flowers fitting, mostly 4-cleft- europæa.
ed.

With. Arr. 208. *E. Bot.* 378.

Dodder. On hops, nettle, heath. Tet. Di.
Aug.

C. Flowers fitting, 5-clefted: sur- Epithy'-
rounded by floral leaves. mum.

With. Arr. 209. *E. Bot.* 55.

Lesser Dodder. Corn - fields, Tet. Di.
heaths.

POTAMOGETON. See Gen. Ch.
p. 80.

marinum. P. Leaves strap-shaped, alternate, distinct; the base sheathing the stem.

With. Arr. 213. Aug.

Tet. Tet. *Sea Pondweed.* Salt water ditches.

gramineum. P. Leaves strap-spear-shaped, alternate, sitting, broader than the stipulæ.

Tet. Tet. *With. Arr.* 214.

Grass-leaved Pondweed. Slow streams.

setaceum. P. Leaves spear-shaped, opposite, tapering to a point.

With. Arr. 214.

Tet. Tet. In peaty ditches. Aug.

RUP'IA. *Cal.* none: *Bloss.* none: *Seeds* 4, on pedicles:

maritima. R. *With. Arr.* 215. *E. Bot.* 136.

Tassel Pondweed. Sea Tassel-grass.

Tet. Tet. Salt water ditches. Aug.

PULMONA'RIA. See Gen. Ch. p. 19.

- P. Leaves egg - shaped : stem *marítima*.
branched, trailing.

With. Arr. 229. *E. Bot.* 368.

Bloff. pink, or blue.

Sea Bugloss, or *Lungwort*. Sandy Pen. Mo.
shores.

MENYANTHES. See Gen. Ch. p.
173.

- M. Leaves heart-shaped, very en- *nymphoïdes*.
tire : blossom segments bordered,
fringed with teeth.

With. Arr. 235. *E. Bot.* 217.

Bloff. yellow.

Fringed Water Lily, or *Buckbean*.

Ditches, flow fireams. Aug. Pen. Mo.

ANAGAL' LIS. See Gen. Ch. p. 86.

- A. Leaves egg - shaped, rather *tenel'la*.
acute : stem creeping, striking
root at the joints.

With. Arr. 239. *Curt.* 3.

Bloff. pale purplish red.

Bog Pimpernel.

Aug. Pen. Mo.

AZA'LEA. *Bluff.* bell-shaped: *Stem*
fixed to the receptacle: *Caps.* 2
to 5-celled: many-seeded.

procumbens A. Branches spreading wide, and
trailing.

With. Arr. 239.

Flowers bright red.

Pen. Mo. *Trailing Rosebay.* Highland
mountains.

CONVO'LVULUS. See Gen. Ch.
p. 175.

sepium. C. Leaves arrow-shaped, lopped
at the base: fruit-stalk 4-corner-
ed, bearing 1 flower.

With. Arr. 240. *Curt.* 1.

E. Bot. 313. *Fl. Rust.* 88.

Bluff. milk white.

Pen. Mo. *Great Bindweed.* Moist hedges.
Aug.

Soldanel'la. C. Leaves kidney-shaped: fruit-
stalks with 1 flower.

With. Arr. 240. *E. Bot.* 314.

Bluff. red.

Pen. Mo. *Scottish Scurvy-grass.* Sea shore.

CAMPAÑULA. See Gen. Ch. p.
87.

- C. Leaves stiff, and straight: root- pácula.
leaves spear-egg-shaped: panicle
expanding.

With. Arr. 242. *E. Bot.* 42.

Bluff. reddish purple.

Field Bell-flower. Woods, hedges, Pen. Mo.
corn-fields. Aug.

- C. Leaves waved: root-leaves spear- Rapun'culus
oval: panicle compact.

With. Arr. 242. *E. Bot.* 283.

Bluff. purplish blue.

Rampions. Hedge banks. Aug. Pen. Mo.

- C. Leaves egg-spear-shaped: stem latifolia.
unbranched, cylindrical: flowers
solitary, on fruit stalks: fruit
drooping.

With. Arr. 243. *E. Bot.* 302.

Bluff. blue, or pale red.

Broad-leaved Bell-flower. Aug. Pen. Mo.
Thickets, hedges.

- C. Stem angular: leaves on leaf- Trachelium.

stalks: cups fringed: fruit-stalks
3-cleft.

With. Arr. 243. E. Bot. 12.

Bloss. blue, or pale red.

Nettle-leaved Bell-flower. Can-
terbury Bells. Woods, hedges.
Aug.

Pen. Mo.

glomerata.

C. Stem angular, not branched:
flowers fitting in a terminating
head.

With. Arr. 244. E. Bot. 90.

Bloss. blue, or reddish.

Pen. Mo.

Clustered Bell-flower. Chalky
pastures.

PHYTEUMA. *Bloss.* wheel-shaped,
with 5 divisions: *Segments* strap-
shaped: *Summits* 2 or 3-cleft:
Caps. beneath, 2 or 3-celled; a
hole opening at the side of each.

orbicularis.

P. Flowers in a roundish head:
floral leaves spear-strap-shaped,
fringed.

With. Arr. 245. E. Bot. 142.

Bloss. blue.

Round-headed Rampion. Chalky Pen. Mo.
pastures. Aug.

LOBE'LIA. *Cal.* 5-cleft: *Bloff.* 1
petal, irregular, divided length-
ways on the back: *Anthers* some-
what united: *Caps.* 2 or 5-celled,
beneath.

L. Leaves strap-shaped, very en- Dortman' na.
tire, containing 2 cells: stem al-
most naked.

With. Arr. 245. *E. Bot.* 140.

Bloff. pale blue.

Water Gladiol. *Cardinal Flower.*

Lakes in mountainous coun- Pen. Mo.
tries. Aug.

L. Stem nearly upright: lower úrens.
leaves roundish, scolloped; the
upper spear-shaped, serrated:
flowers in bunches.

With. Arr. 246. Aug.

Bloff. blue. Mountainous mea- Pen. Mo.
dows.

VERBAS'CUM. See Gen. Ch. p.
178.

Thapsoïdes. V. Leaves decurrent: stem branched.

With. Arr. 249.

Bloss. yellow. Aug.

Pen. Mo. *Bastard Mullein.* Chalky meadows.

Lychnitis. V. Leaves wedge-oblong.
With. Arr. 249. *E. Bot.* 58.

Var. 2. Green.

Bloss. yellow.

Pen. Mo. *White, or Hoary Mullein.* Chalky sandy meadows.

nigrum. V. Leaves heart-oblong, on leaf-stalks.

With. Arr. 250. *E. Bot.* 59.

Bloss. golden yellow.

Pen. Mo. *Black Mullein.* Hedges, roadsides. Sept.

virgatum. V. Root - leaves somewhat lyre-shaped: stem-leaves fitting: stem branching: fruit - stalks several together, fitting.

With. Arr. 250.

Bloss. yellow.

Pen. Mo. Near Worcester.

DATU'RA. *Bloss.* funnel-shaped,
plaited: *Cal.* tubular, angular,
falling off with the blossom: *Caps.*
4-valved.

D. Seed-vessel thorny, upright, *Stramóni-*
egg-shaped: leaves egg-shaped, *um.*
smooth.

With. Arr. 251. *Curt.* 6.

Woodv. 124.

Bloss. white, or purplish.

Pen. Mo-

Thorn Apple. Rubbish, dunghills.

IMPA' TIENS. *Cal.* 2-leaved: *Bloss.*
5 petals, irregular: *Nectary* hood-
like: *Stam.* cohering: *Caps.* su-
perior, 1-celled, opening with a
jerk into 5 spiral valves.

I. Fruit-stalks many-flowered, so- *Noli-tan'-*
litary: leaves egg-shaped: stem *gere.*
swollen at the joints.

With. Arr. 263.

Bloss. yellow.

Quick-in-hand. *Touch-me-not.*

Moist shady places. Aug. Pen. Mo-

ILLE'CEBRUM. *Cal.* 5 leaves, like
gristle: *Bloss.* none: *Summit*

simple : *Caps.* 5-valved, 1-seeded.

verticillá-
tum.

I. Flowers in whirls, naked : stems trailing.

With. Arr. 267.

Flowers whitish.

Pen. Mo.

Whorled Knot-grass. Marshes,
wet pastures.

HERNIA'RIA. *Cal.* with 5 divisions :
Bloss. none : *Stam.* 5 perfect, and
5 imperfect : *Caps.* 1-seeded.

glábra.

H. Plant smooth.

With. Arr. 269. *E. Bot.* 206.

Flowers yellowish.

Pen. Di.

Smooth Rupturewort. Gravelly
soil. Aug.

hirsúta.

H. Plant rough with hair.

With. Arr. 270.

Pen. Di.

Hairy Rupturewort. Gravelly
soil. Aug.

CHENOPO'DIUM. See Gen. Ch. p.
89.

- C. Leaves egg-shaped, shining, murale.
toothed, acute: bunches branching,
leafless.

With. Arr. 272. Curt. 6.

Flowers in a corymbus.

Wall Goosefoot. Dunghills. Aug. Pen. Di.

- C. Leaves very entire, egg-shaped: polysperm.
stem upright: calyx of the fruit
open.

With. Arr. 273. Curt. 2.

Upright Blite. Allseed Goosefoot.

Dunghills. Aug. Pen. Di.

- A'TRIPLEX. *Bloss.* none: *Flowers*,
some hermaphrodite, others fe-
male on the same plant.

Herm. Cal. 5-leaved: *Seed* 1, de-
pressed, upright.

Fem. Cal. 2-leaved: *Seed* 1, com-
pressed.

- A. Stem shrub-like: leaves in- portula-
versely egg-shaped. coïdes-

With. Arr. 274. E. Bot. 261.

Shrubby Orache. Sea Purslane.

Sea shores in clayey soil. Aug. Pen. Di.

- laciniáta. A. Stem herbaceous, spreading: leaves trowel-shaped, angular, and toothed: very mealy underneath.

With. Arr. 274. E. Bot. 165.

- Pen. Di. *Frosted Orache.* Sea shores. Aug.

- pedunculáta. A. Stem herbaceous, straddling: leaves spear-shaped, blunt, entire: female flowers on fruit-stalks.

With. Arr. 276. E. Bot. 232.

- Pen. Di. *Stalked Orache.* Sea shores.

Sept.

BÉTA. *Cal.* 5-cleft, 5-ribbed; closing on the ripened seed: *Bloff.* none: *Seed* kidney-shaped, horizontal, beneath, in the substance of the base of the calyx.

- marítima. B. Flowers in pairs.

With. Arr. 277. E. Bot. 285.

- Pen. Di. *Sea Beet.* Sea coast. Sept.

SAL'SOLA. *Cal.* 5-cleft: *Bloff.* none: *Seed* 1, beneath; coated by the calyx.

- S. Herbaceous, lying down: leaves Káli.
awl-shaped, thorny, rough: calyxes bordered, axillary.

With. Arr. 278. *Woodv.* 143.

Flowers greenish.

Prickly Glaswort. Sandy sea Pen. Di.
shores. Aug.

ERYNGIUM. *Flowers* forming a head: *General Involucr.* many-leaved: *Recept.* chaffy: *Seeds* rough with flexible scales.

- E. Root-leaves roundish, plaited, maritimum.
thorny: flowering heads on fruit-stalks: chaff 3-pointed.

With. Arr. 283. *Woodv.* 102.

Bloss. whitish blue.

Sea Eryngo. *Sea Holly.* Sea Pen. Di.
shore. Aug.

- E. Root-leaves embracing the stem, campéstre.
winged, spear-shaped.

With. Arr. 284. *E. Bot.* 57.

Petals blue, white, or yellowish.

Eryngo. Rocky shores. Aug. Pen. Di.

BUPLEURUM. See Gen. Ch. p. 182.

tenuis-
fium.

B. General involucre of 3 leaves: umbels simple, alternate, of few flowers: leaves strap-spear-shaped: stem prostrate.

With. Arr. 285.

Flowers yellowish.

Pen. Di.

Least Thoroughwax. Meadows, salt ditches. Aug.

ECHINO'PHORA. Lateral florets male, central florets hermaphrodite: *Seed* 1, immersed in the involucrellum.

spinosa.

E. Little leaves awl-shaped, thorny, very entire.

With. Arr. 285.

Petals white, or reddish.

Pen. Di.

Thorny, or Prickly Samphire.

CAU'CALIS. See Gen. Ch. p. 91.

leptophylla.

C. Involucres of 1 leaf, or none: umbel cloven: involucrellums of 5 leaves.

With. Arr. 287.

Pen. Di.

Corn-fields.

- C. Seeds egg-shaped, ribs on the back several, elevated, prickly :
leaves simply winged, serrated.

With. Arr. 288. *E. Bot.* 198.

Bloss. tinged with purple.

Broad-leaved Hensfoot. Corn- Pen Di.
fields.

- C. Involucrum of 1 leaf, or none : seeds egg-shaped : styles reflected :
leaves doubly compound, terminating leaflet strap-spear-shaped :
stem much branched.

With. Arr. 288.

Bloss. white, with a cast of yellow.

Corn Hensfoot. Corn-fields, in Pen. Di.
chalky or marly soil.

DAUCUS. See Gen. Ch. p. 183.

- D. Angles of the seeds 4 large and 3 small : umbels convex when in fruit.

With. Arr. 290.

Sea Coast Carrot. Rocks. Aug. Pen. Di.

LIGUSTICUM. *Bloss.* equal : Petals rolled inwards, entire : *Fruit* egg-

oblong, tapering at each end; 3
ridges on each seed.

foeticum.

L. Leaves doubly threefold.

With. Arr. 296.

Pen. Di.

Scottish Lovage, or *Sea Parsley*.

Rocks and cliffs.

cornubiense

L. Leaves doubly compound, cut:
root-leaves in threes, spear-shaped,
very entire.

With. Arr. 297.

Pen. Di.

Cornwall Saxifrage, or *Lovage*.

SRUM. See Gen. Ch. p. 187.

latifolium.

S. Leaves winged: leaflets egg-
spear-shaped, regularly and sharply
ferrated: the terminating leaf
3-cleft: umbels terminating.

With. Arr. 298. *E. Pot.* 204.

Pen. Di.

Flowers whitish. Aug.

Great Water Parsnip. Rivers,
fens.

angustifolium.

S. Leaves winged, leaflets irregu-
larly jagged and ferrated: invo-

lucrum wing-cleft: umbels on fruit-stalks axillary.

With. Arr. 299. E. Bot. 139.

Flowers white.

Upright Water Parsnep. Ditches, Pen. Di.
rivulets. Sept.

S. Leaves winged: leaflets tooth-ferrated: umbels lateral, opposite the leaves, fitting, or on fruit-stalks. nodiflorum.

With. Arr. 299. Woodv. 182.

Flowers white.

Creeping Water Parsnep. Rivers, Pen. Di.
ditches. Aug.

SI'RON. See Gen. Ch. p. 187.

S. Leaves winged: umbels nodding. segetum.

With. Arr. 300. E. Bot. 228.

Corn Parsley, or Stonewort. Pen. Di.
Hedge-fides, in chalk and clay.

OENANTHE. See Gen. Ch. p. 188.

fistulósa.

O. Sending forth suckers: stem-leaves winged, thread-shaped, hollow.

With. Arr. 301. E. Bot. 363.

Petals white.

Pen. Di.

Water Dropwort. Ponds, ditches.

pimpinell-
loides.

O. Leaflets of the root-leaves wedge-shaped, cloven: those of the stem entire, strap-shaped, very long, undivided.

With. Arr. 302. E. Bot. 347.

Bloss. white.

Pen. Di.

Parsley Dropwort. Slow streams, ponds. Aug.

peucedani-
folia.

O. Leaflets all strap-shaped: general involucre none. Knobs of the root fitting elliptical.

E. Bot. 348.

Sulphurwort. Water Dropwort.

Pen. Di.

Flowers reddish. Inland waters.

CICUTA. *Fruit* nearly egg-shaped, ribbed.

virósa.

C. Umbels opposite the leaves: leafstalks bordered, blunt.

With. Arr. 304. Woodv. 268.

Petals yellowish pale green.

Long-leaved Water Hemlock.

Sides of pools and rivers. Aug. Pen. Di.

CHÆROPHYL' LUM. See Gen. Ch.
p. 93.

C. Stem spotted, joints swollen: *témulum*.
stem and leaves rough: leaflets
cut, acute.

With. Arr. 308. *Curt.* 6.

Flowers very white.

Wild Chervil. Hedges. Aug. Pen. Di.

ANETHUM. *Petals* entire, rolled
inwards: *Fruit* lentil-shaped,
but compressed: small, scored,
bordered.

A. Leaves with many divisions, *Fœniculum*.
hair-like: seeds egg-oblong, tapering at each end, not bordered.

With. Arr. 310. *Woodv.* 160.

Flowers yellow.

Common Fennel. Chalk cliffs. Pen. Di.

Aug.

SAMBU'CUS. See Gen. Ch. p. 20.

E'bulus.

S. Tufts with 3 divisions: stipulæ leaf-like: stem herbaceous.

With. Arr. 316. *Curt.* 3.

Woodv. 260.

Bloss. white above, purple beneath.

Pen. Tri.

Dwarf Elder. Hedges, roadsides.

TA'MARIX. *Cal.* with 5 divisions:

Petals 5: *Capf.* 1-celled, 3-valved:

Seeds with hairs.

gállica.

T. Flowers with 5 stamens: branches scaly: scales fitting, alternate.

With. Arr. 318.

Flowers with a rosy tinge.

Pen. Tri.

St. Michael's Mount, Cornwall.

STA'TICE. See Gen. Ch. p. 96.

limónium.

S. Stalk panicled, cylindrical: leaves smooth, without nerves: dagger-pointed underneath.

With. Arr. 320. *E. Bot.* 102.

Bloss. of a deep purple.

Sea Lavender, or Lavender Thrift.

Salt marshes, rocks.

Pen. Pen.

- S. Stalk panicled, lying flat: the barren branches naked and bent backwards: leaves wedge-shaped, without any sharp points.

With. Arr. 320. *E. Bot.* 328.

Matted Sea Lavender. Norfolk coast. Pen. Pen. Aug.

LI'NUM. See Gen. Ch. p. 96.

- L. Calyx and capsules dagger-pointed: petals scolloped: leaves spear-shaped: stem generally solitary.

usitatis si-
mum.

With. Arr. 321. *Curt.* 5.

Woodv. 111. *Fl. Rust.* 133.

Common Flax. Corn-fields, sandy pastures. Pen. Pen.

DRO'SERA. *Cal.* with 5 divisions:
Petals 5: *Caps.* 1 cell, with 5
valves at the top: *Seeds* several,
fixed to the sides.

rotundifolia. D. Stalks from the root: leaves circular: styles 6.

With. Arr. 323.

Bloss. white.

Pen. Pen.

Round-leaved Sun-dew. Mossy bogs. Aug.

longifolia.

D. Stalks from the root: leaves inversely egg - spear - shaped: styles 6.

With. Arr. 324.

Pen. Pen.

Long-leaved Sun-dew. Mossy bogs. Aug.

anglica.

D. Stalks from the root: leaves oblong: styles 8.

With. Arr. 324.

Pen. Pen.

Great Sun-dew. Mossy bogs. Aug.

SIBBÁLDIA. *Cal.* 10-cleft: *Petals* 5, fixed to the calyx: *Styles* from the sides of the germen: *Seeds* 5, naked.

procumbens S. Leaflets with three teeth.

With. Arr. 326.

Bloss. yellow.

Pen. Pen.

Procumbent Silver-weed. Mountains of Scotland.

AL L I U M. See Gen. Ch. p. 98.

- A. Umbel globular: stamens 3- Ampeló-
pointed: petals rough on the prafum.
keel.

With. Arr. 332.

Bloff. pale purple.

Round-headed Garlic. Isle of Hex. Mo.
Holmes in the Severn Sea.

- A. Filaments undivided: leaves oleráceum.
femi-cylindrical, rough, furrow-
ed underneath. (Leaves not
rough.)

With. Arr. 334.

Bloff. pale, with purple lines.

Wild Garlick. Meadows, pas- Hex. Mo.
tures.

NARTHECIUM. *Bloff.* 6 petals,
permanent: *Style* none: *Caps.*
egg-shaped: *Seeds* tapering to
each end.

N. *With. Arr.* 340. ofsífragum.

Lancashire or *Bastard Asphodel.*

Turf bogs.

Aug. Hex. Mo.

ASPA'RAGUS. *Bloff.* with 6 divisions, upright; the tops of the 3 inner petals reflected: *Berry* superior, 3-celled: *Seeds* 2.

officinális.

A. Stem herbaceous, cylindrical, upright: leaves bristle-shaped: leaf-scales solitary, or in pairs: male and female flowers sometimes on distinct plants.

With. Arr. 340. *E. Bot.* 339.

Bloff. yellowish green.

Hex. Mo.

Common Asparagus. Meadows, rocks, on the sea coast.

CONVALLA'RIA. See Gen. Ch. p. 99.

verticilláta.

C. Leaves in whirls.

With. Arr. 342. *E. Bot.* 128.

Bloff. yellow white.

Hex. Mo.

Narrow-leaved Solomon's Seal.

FRANKÉNIA. *Cal.* 5 cleft, funnel-shaped: *Petals* 5: *Summit* with 3 divisions: *Caps.* 1-celled, 3-valved.

- F. Leaves strap-shaped, crowded, læ'vis;
fringed at the base.

With. Arr. 352. E. Bot. 205.

Bluff. pinky red.

Smooth Frankwort. Salt marshes. Hex. Mo.
Aug.

- F. Leaves inversely egg-shaped, pulveru-
dented at the end, dusted under- len'ta.
neath.

With. Arr. 352.

Dusky Frankwort. Sea coast of Hex. Mo.
Suffex.

- PE'PLIS. *Cal.* bell-shaped, rim 12-
cleft: *Petals* none, or 6 fixed to
the cup: *Caps.* superior, 2-celled,
many-seeded.

- P. Flowers often without petals. Por'tula.

With. Arr. 352. Curt. 4.

Bluff. pinky red. Sept. Hex. Mo.

- RU'MEX. See Gen. Ch. p. 101.

- R. Valves very entire: leaves heart- sanguineus.
spear-shaped.

With. Arr. 353.

Bloss. reddish.

Small-grained Dock. Bloodwort.

Hex. Tri.

Woods near Hampstead.

Hydrolá-
pathum.

R. Leaves spear-shaped, smooth,
acute, very entire, tapering at
the base.

With. Arr. 355. *Woodw.* 178.

Hex. Tri.

Water Dock. Peat marshes. Aug.

pulcher.

R. Root-leaves fiddle-shaped.

With. Arr. 356.

Hex. Tri.

Fiddle Dock. Rubbish, road-sides.
Aug.

marítimus.

R. Leaves strap-shaped, flowers in
distant whirls.

With. Arr. 356. *Curt.* 3.

Hex. Tri.

Road-sides, rubbish. Sept.

aúreus.

R. Leaves strap-shaped : whirls
crowded together, spike-like.

With. Arr. 356.

Hex. Tri.

Golden Dock. Marshes. Aug.

obtusifolius.

R. Leaves heart-oblong, bluntish,
finely notched.

With. Arr. 357. *Curt.* 3.

Broad-leaved Dock.

Aug.

Rubbish, farm-yards.

Hex. Tri.

TOFIEL'DIA. *Cal.* none: *Bloff.* 6
petals: *Caps.* 3-celled, 6-valved.

T.

With. Arr. 358.

palus'tris.

Flowers in a spike yellow.

Scotch Asphodel. Bogs on moun-
tains in Scotland.

Hex. Tri.

Sept.

TRIGLO'CHIN. See Gen. Ch. p.
101.

T. Capsule 3-celled, nearly strap-
shaped.

palus'tre.

With. Arr. 359. *E. Bot.* 366.*Flowers* greenish.*Arrow-headed Grass.*

Aug.

Wet meadows.

Hex. Tri.

ARISTOLO'CHIA. *Bloff.* 1 petal,
tongue-shaped, entire: *Stamens*
near the germen: *Caps.* 6-celled
beneath.

A. Leaves heart-shaped: stem up- Clematitis.

right: flowers crowded, in the bosom of the leaf-stalks.

With. Arr. 360. Woodv. 238.

Bloss. yellowish green, tinged with purple.

Hex. Hex.

Woods, hedges.

Sept.

ALIS'MA. See Gen. Ch. p. 195.

Plantágo.

A. Leaves egg-shaped, acute: fruit with 3 blunt corners.

With. Arr. 361. Curt. 5.

Water Plantain. Greater Thrumwort. Bogs, banks of rivers.

Hex. Poly.

Aug.

nátans.

A. Root-leaves strap-shaped, membranaceous; floating leaves egg-shaped, blunt, on long leaf-stalks: fruit-stalks solitary.

With. Arr. 362.

Hex. Poly.

Creeping Thrumwort. Lakes, ditches.

EPILO'Bium. See Gen. Ch. p. 196.

hirsútum.

E. Leaves egg-spear-shaped, hairy, half embracing the stem:

stem very much branched and hairy.

With. Arr. 366. Curt. 2.

Large-flowered Willow-herb. Codlings and Cream. Moist hedges. Oct. Mo.

E. Leaves spear-shaped, pubescent, nearly sitting: stem hairy, unbranched. *parvisolum.*

With. Arr. 367. Curt. 2.

Bloss. small, flesh-coloured.

Woolly or Wood Willow-herb.

Watery places, ditches. Aug. Oct. Mo.

E. Leaves spear-shaped, finely toothed, the lowermost opposite: stem 4-cornered: summit entire. *tetragonum.*

With. Arr. 368. Curt. 2.

Bloss. purplish red.

Square-stalked Willow-herb.

Marshes, sides of rivulets. Oct. Mo.

E. Leaves opposite, spear-shaped, very entire: petals notched at the end: stem upright. *palustre.*

With. Arr. 368. E. Bot. 346.

Petals reddish purple.

Oft. Mo. *Marsh Willow-herb.* Marshes,
 bogs.

alpinum. E. Leaves opposite, fitting, smooth, egg-spear-shaped, almost entire : capsules fitting : stem with about 3 flowers, trailing at the base.

With. Arr. 368.

Oct. Mo. *Alpine Willow-herb.* Alpine ri-
vulets. Aug.

ERI'CA. See Gen. Ch. p. 197.

Tétralix. E. Leaves oblong, fringed, cottony underneath: flowers in umbels: cups fringed, and cottony.

With. Arr. 373. *Curt.* 1.

Bl^{oss}. pale rose red, to white.

Oa. Mo. *Cross-leaved Heath.* Moist heaths.

POLY'GONUM. See Gen. Ch. p. 45.

Hydrópiper. P. Flowers with cloven pistils :
stipulæ somewhat fringed : leaves
spear-shaped.

With. Arr. 379. *Curt.* 1.

Flowers green, red towards the end.

- Water Pepper. Arsmart.* Watery O&f. Tri.
places. Sept.
- P. Styles 2: spikes egg-oblong: Perficária.
leaves spear-shaped: stipulæ
fringed.
With. Arr. 380. *Curt.* 1.
Flowers of a bright rose colour.
Dead or Spotted Arsmart.
Ditches. Sep. O&f. Tri.
- P. Leaves heart-arrow-shaped: Fagopyrum
stem nearly upright; without
prickles: angles of the seeds
equal.
With. Arr. 384. *Fl. Rust.* 46.
Bloss. purplish white.
Buckwheat. Brank. Corn-fields. O&f. Tri.
Aug.
- PYROLA. See Gen. Ch. p. 203.
- P. Stalk bearing only 1 flower. uniflora.
With. Arr. 401. *E. Bot.* 146.
Flowers odoriferous, white with
red streaks.
Single-flowered Winter-green.
Fir woods, Scotland. Dec. Mo:

SAXIFRAGA. See Gen. Ch. p. 46.

Hirculus. S. Stem-leaves spear-shaped, alternate, naked, without prickles: stem upright.

With. Arr. 404.

Dec. Di. *Marsh Saxifrage.* Turf bogs.

Aug.

azoïdes. S. Stem-leaves strap-awl-shaped, sometimes fringed: root-leaves crowded together: stem trailing.

With. Arr. 404. *E. Bot.* 39.

Petals yellow, spotted.

Dec. Di. *Yellow Mountain Saxifrage.* Bogs on mountains.

Aug.

cer'nua. S. Stem-leaves hand-shaped, on leaf-stalks: stem unbranched, 1-flowered, bulb-bearing.

With. Arr. 405.

Flowers white.

Dec. Di. Mountains.

moscháta. S. Root-leaves incorporated, strap-shaped, 3-cleft or entire: stem-leaves 3 to 5, entire: flowers on

long fruit-stalks: whole plant
hairy and glutinous.

With. Arr. 406.

Petals pale yellow. Aug.

Matted Saxifrage. Mountains. Dec. Di.

SCLERANTHUS. *Cal.* 1 leaf: *Bloff.*
none: *Seed* 1, enclosed in the
cup.

S. Calyx, segments thornless, tapering to a point, open when the fruit is ripe. an nuus.

With. Arr. 407. *E. Bot.* 351.

Flowers greenish.

German Knotgrass. Annual Knawell. Sandy corn-fields. Dec. Di.
Aug.

S. Calyx, segments blunt, closed when the fruit is ripe. perennis.

With. Arr. 407. *E. Bot.* 352.

Flowers greenish, edged with white.

Perennial Knawell. Sandy corn-fields. Dec. Di.
Aug.

polycarpos? S. Calyx, segments thorn-like,
widely expanded when ripe: stem
somewhat woolly.

Dec. Di.

With. Arr. 408.

Scotland.

SAPONARIA. *Cal.* 1 leaf, naked:
Petals 5, with claws: *Caps.* ob-
long, of 1 cell.

officinalis.

S. Calyx cylindrical: leaves egg-
spear-shaped.

With. Arr. 408. *Curt.* 2.

Woodv. 251.

Bluff. flesh-coloured, or white.

Bruisewort. *Common Soapwort.*

Dec. Di.

Meadows, hedges.

Aug.

DIANTHUS. See Gen. Ch. p. 205.

Arméria.

D. Flowers in bundles: scales of
the calyx spear-shaped, woolly,
as long as the tube.

With. Arr. 409. *E. Bot.* 317.

Petals red.

Dec. Di.

Deptford Pink. Gravelly mea-
dows.

- D. Flowers in heads: scales of the calyx egg-shaped, blunt, awnless, taller than the tube. *próliſer.*

With. Arr. 409.

Blöff. red, ſometimes white.

Childing Sweet Williams. Sandy meadows. Dec. Di.

- D. Scales of the calyx 2, egg-ſpear-shaped, acute: petals toothed at the end. *deltoïdes.*

With. Arr. 410. E. Bot. 61.

Flowers palish red.

Maiden Pink. Sandy meadows, heaths. Dec. Di. Oct.

- D. Stem moſtly ſingle-flowered: ſcales of the calyx roundiſh and ſhort: petals irregularly toothed: leaves rough at the edges. *cæ'ſius.*

With. Arr. 411. E. Bot. 62.

Flowers pale pink.

Mountain Pink. Chedder rocks. Dec. Di.

CUCU'BALUS. See Gen. Ch. p. 205.

Orites.

C. Male and Female flowers on different plants: petals strap-shaped, undivided.

With. Arr. 412. *E. Bot.* 85.

Bloss. pale yellow, or greenish white.

Dec. Tri.

Spanish Champion. Gravelly pastures. Aug.

SILENE. See Gen. Ch. p. 48.

Arméria.

S. Petals entire: flowers in flat-topped bundles: upper leaves heart-shaped, smooth.

With. Arr. 415.

Petals pale red. Aug.

Dec. Tri.

Common Catchfly. Corn-fields.

noctiflora.

S. Petals cloven: calyx with 10 angles, the teeth as long as the tube: stem forked.

With. Arr. 416. *E. Bot.* 291.

Bloss. whitish.

Dec. Tri.

Night-flowering Catchfly. Corn-fields.

ARENARIA. See Gen. Ch. p. 104.

- A. Leaves bristle-shaped: stem *laricifolia*.
rather bare above: calyx somewhat hairy.

With. Arr. 424.

Larch-leaved Sandwort. Mountains in the north. Aug. Dec. Tri.

CHERLERIA. *Cal.* 5 leaves: *Nectararies* 5, cloven, resembling petals: *Anthems*, every other barren: *Capf.* 1-celled, 3-valved, 3-seeded.

C.

fedoides.

With. Arr. 424.

Moss-like Cyphel. Highland Dec. Tri.
mountains. Aug.

SEDUM. See Gen. Ch. p. 106.

- S. Leaves awl-shaped, scattered, *reflexum*
loose at the base: the lower ones
bowed back.

With. Arr. 429.

Flowers bright yellow.

Yellow Stonecrop. Prick-madam. Dec. Pen.

Walls, roofs, rocks.

rupéstre.

S. Leaves awl-shaped, in 5 rows, crowded, loose at the base: flowers in tufts.

With. Arr. 429. *E. Bot.* 170.

Bluff. yellow.

Dec. Pen.

Rock Stonecrop. Rocks.

CERASTIUM. See Gen. Ch. p. 12.

alpinum.

C. Leaves egg-spear-shaped: stem forked, mostly 3-flowered: capsules cylindrical, crooked.

With. Arr. 434.

Flowers white.

Aug.

Dec. Pen.

Alpine Mouse-ear. Mountains.

aquaticum.

C. Leaves heart-shaped, fitting: flowers solitary: capsules pendent.

With. Arr. 436. *Curt.* 1.

Flowers white.

Dec. Pen.

Marsh Mouse-ear. Watery places.

SPIRGULA. See Gen. Ch. p. 214.

arvensis.

S. Leaves in whirls: flowers with

more than 5 stamens: stems thick
at the joints.

With. Arr. 436. *Curt.* 5.

Flowers white.

Corn Spurry. Sandy places. Dec. Pen.

S. Leaves opposite, awl-shaped, nodósa.
smooth: stems simple.

With. Arr. 437. *Curt.* 4.

Flowers terminating, solitary,
white.

Knotted Spurry. Marshy places. Dec. Pen.
Sept.

LYTHRUM. *Cal.* often with 12 or
16 teeth: *Petals* 5 or 6, fixed to
the calyx: *Caps.* 1 or 2-celled,
many-seeded.

L. Leaves opposite, or alternate, Salicária.
heart-spear-shaped: flowers in
spikes, 10 or 12 stamens in each.

With. Arr. 441. *Curt.* 3.

Purple-spiked Willow-herb. Dode. Mo.

Marshes. Aug.

L. Leaves alternate: flowers with Hyssopifó-
6 stamens. lium.

With. Arr. 441. *E. Bot.* 292.

Bloss. blue.

Dode. Mo. *Hyssop-leaved Willow-herb.* Wat-
tery places. Aug.

EUPHORBIA. See Gen. Ch. p.
109.

Péplus. E. Umbels with 3 spokes : spokes
forked : involucellums egg-shap-
ed : leaves very entire, inversely
egg-shaped, on leaf-stalks.

With. Arr. 447. *Curt.* 1.

Bloss. yellowish green.

Dode. Tri. *Petty Spurge.* Rich soil. Aug.

exigua. E. Umbels with 3 spokes ; spokes
forked : involucellums spear-
shaped : leaves strap-shaped.

With. Arr. 447. *Curt.* 4.

Dode. Tri. *Dwarf Spurge.* Corn-fields.

helioscopia. E. Umbel with 5 spokes ; spokes
with 3 divisions, and these fork-
ed : involucellums inversely egg-
shaped : leaves wedge-shaped,
ferrated.

With. Arr. 449. *Curt.* 1.

Petals 4, entire.

Wartwort. Cat's-milk. Culti- Dode. Tri.
vated places. Aug.

SEMPERVIVUM. *Cal.* 12-cleft: pe-
tals 1, 6, 12, to 24: *Caps.* 12,
many-seeded, like a legumen.

S. Leaves fringed: offsets expand- testorum.
ing.

With. Arr. 452. *Curt.* 3.

Bluff. pale red.

Common Houseleek. Cyphel. Roofs, Dode. Dode.
walls.

SPIRÆA. See Gen. Ch. p. 216.

S. Leaves spear-shaped, blunt, fer- falcifolia.
rated, naked: flowers in a com-
pound bunch.

With. Arr. 463. *Ico. Pen.*

Borders of Winandermere.

ROSA. See Gen. Ch. p. 217.

R. Germens and fruit-stalks smooth: arvensis.
stem and leaf-stalks prickly:
flowers in tufts.

With. Arr. 461. *E. Bot.* 168.

White-flowered Dog's Rose.

Ico. Poly.

Hedges, heaths.

POTENTILLA. See Gen. Ch. p.
51.

rupéstris.

P. Leaves winged, and by threes:
stem upright, without creeping
runners.*With. Arr. 473.**Bluff. white.*

Ico. Poly.

Sides of Craig Wreidhin.

albá.

P. Leaves 5 together, ferrated at
the end: points of the ferratures
approaching to the margin: stem
thread-like, trailing: receptacle
hairy.*With. Arr. 474.*

Ico. Poly.

*White Cinquefoil. Wales. Aug.*CHELIDO'NIUM. See Gen. Ch. p.
115.

Glaúcium.

C. Fruit - stalks with 1 flower:
leaves embracing the stem, in-
dented: stem smooth.*With. Arr. 484. E. Bot. 8.*

Yellow-horned Poppy. *Sea Celan.* Poly. Mo.
dine. Sandy sea shores. Aug.

C. Fruit - stalks with 1 flower: corniculá-
leaves fitting, wing-cleft: stem tum.
rough with hairs.

With. Arr. 484. *Curt.* 6.

Red Celandine. Sandy corn-fields. Poly. Mo.
Aug.

GLAUCIUM *corniculatum.* *Curt.* 6.

NYMPHÆA. *Bloss.* many petals:
Cal. 4 or 5 leaves: *Summit* round,
flat, fitting: *Berry* superior, lop-
ped, many-celled.

N. Leaves heart-shaped, very en- lútea.
tire: calyx 5 leaved, much larger
than the petals.

With. Arr. 488. *E. Bot.* 159.

Yellow Water Lily. Slow rivers, Poly. Mo.
pools. Aug.

N. Leaves heart-shaped, very en- al'ba.
tire: calyx 4-cleft.

With. Arr. 489. *E. Bot.* 160.

White Water Lily. Slow rivers, Poly. Mo.
ponds.

TILIA. *Bloss.* 5 petals: *Cal.* with 5 divisions: *Seed vessel* leather-like, globular, 5-celled, 5-valved, opening at the base.

europæa.

T. Flowers without a nectary: berry 4-celled.

With. Arr. 490.

Bloss. whitish.

Poly. Mo.

Common Lime Tree. Woods, hedges.

CISTUS. See Gen. Ch. p. 116.

furrejánus.

C. Trailing: leaves egg-oblong, somewhat hairy: petals spear-shaped.

With. Arr. 492.

Bloss. yellow.

Poly. Mo.

Narrow - petaled Cistus. Near Croydon.

polifolius.

C. Trailing: leaves oblong-egg-shaped, hoary: calyx even: petals serrated.

With. Arr. 492.

Flowers white.

Poly. Mo.

Mountain Cistus. Near the Severn sea.

CLEMATIS. *Cal.* none: *Petals* 4,
rarely 5 or 6: *Styles* permanent:
Caps. many, with tails: *Recept.*
a knob.

C. Leaves winged: leaflets heart- Vitalba.
shaped, climbing.

With. Arr. 500. *Curt.* 4.

Traveller's Joy. Virgin's Bower.

Hedges, shady places. Aug. Poly. Poly.

THALICTRUM. See Gen. Ch. p.
226.

T. Leaves triply winged: leaflets minus.
3-cleft: panicle large, expand-
ing: flowers on crooked fruit-
stalks.

With. Arr. 501. *E. Bot.* 11.

Lesser Rueweed.

Aug. Poly. Poly.

Moist mountainous meadows.

T. Leaves with many divisions: majus.
flowers nodding: flowering
branches axillary: 2 or 3 to-
gether.

With. Arr. 502.

Petals purplish.

Poly. Poly. *Greater Rueweed.* Near Dar-
lington.

RANUNCULUS. See Gen. Ch. p. 7.

gramin'cus. R. Leaves spear-strap-shaped: stem
upright, very smooth, few-flow-
ered.

With. Arr. 505.

Flowers pale yellow.

Poly. Poly. North Wales.

rep'tans. R. Leaves strap-shaped: stem
creeping.

With. Arr. 505.

Flowers solitary, small, yellow.

Poly. Poly. *Narrow-leaved Crowfoot.* Sides
of lakes, rare. Aug.

SAGITTARIA. *Stam.* and *Pist.* in
different flowers on the same
plant: *Cal.* 3 leaves: *Bloss.* 3
petals.

Male. *Filam.* about 24.

Fem. *Seeds* many, naked.

sagittifolia. S. Leaves arrow-shaped, acute.

With. Arr. 512. *E. Bot.* 84.

Flowers white, with a purplish tinge.

Common Arrowhead. Ditches, Poly. Poly.
banks of slow rivers.

TEU'CRUM. See Gen. Ch. p.
230.

T. Leaves heart-shaped, ferrated, Scorodonia.
on leaf-stalks: flowers in lateral
bunches, pointing one way: stem
upright.

With. Arr. 518. *Curt.* 5.

Bloss. straw-coloured, woolly.

Wood Sage. Sage Germander.

Woods, heaths, thickets. Didy. Gym.

T. Leaves oblong, fitting, tooth-
ed, nakedish: flowers in pairs, Scor'dium.
on fruit-stalks, axillary: stem
pubescent, spreading.

With. Arr. 519. *Woodv.* 57.

Flowers pink.

Water Germander. Marshes in Didy. Gym.
the Isle of Ely. Aug.

NE'PETA. *Bloss.* middle segment of
the lower lip scolloped: *Mouth,*

the edges reflected: *Stamens* approaching.

Catária.

N. Flowers in spikes: whirls on short fruit-stalks: leaves on leaf-stalks, heart-shaped, tooth-ferrated.

With. Arr. 519. *E. Bot.* 137.

Bloss. white.

Didy. Gym.

Nep. Catmint. Pastures in a calcareous soil.

MEN'THA. *Bloss.* nearly equal, 4-cleft, the broader segments notched at the end: *Stam.* upright, distant.

viridis.

M. Spikes oblong: leaves spear-shaped, naked, serrated, sitting: stamens longer than the blossom.

With. Arr. 521. *Woodv.* 170.

Bloss. purplish red.

Didy. Gym.

Spear Mint.

Aug.

Watery places, river banks.

gentilis.

M. Leaves egg-shaped, acute, serrated: stamens shorter than the blossom.

With. Arr. 524.

Bloss. pale red.

Aug.

Red Mint. Watery places.

Didy. Gym.

- M. Leaves egg-shaped, acute, serrated: stamens as long as the blossoms.

arven'sis.

With. Arr. 524.*Corn Mint.* Moist corn-fields.

Didy. Gym.

Sept.

Var. 2. Sativa. Stamens longer than the blossoms.

Marsh Mint.

GALEOPSIS. See Gen. Ch. p. 230.

- G. All the whirles remote: calyxes tubular, very hairy: teeth spear-shaped, taper-pointed, short, straight.

grandiflora.

With. Arr. 528.*Bloss.* yellow, woolly.

Sandy corn-fields.

Didy. Gym.

- G. Upper whirles nearly contiguous: calyx bellying; teeth very long, bristle-shaped, equal: stem swollen below the joints.

Tétrahit.

With. Arr. 529. *E. Bot.* 207.

Y

Bloss. purple, sometimes white.

Didy. Gym. *Nettle Hemp Allheal.* Hedge-
banks. Aug.

versicolor. G.

Curt. 6.

Bloss. yellow, nearly thrice the
length of the calyx.

Didy. Gym. *Particoloured Galcopsis.* York-
shire.

cannábina. G. Upper whirles nearly contigu-
ous: calyx tubular; shorter teeth
strap shaped, unequal, 3 of them
larger.

With. Arr. 529.

Bloss. pale yellow. Aug.

Didy. Gym. Hedges, moist corn-fields.

BETÓNICA. *Cal.* awned: *Bloss.*
upper lip upright, flat; tube cy-
lindrical.

officinális. B. Spike interrupted: blossom,
upper lip entire, lower lip the
middle segment notched: calyxes
smoothish.

With. Arr. 530. *Curt.* 3.

Woodv. 241.

Bluff. purple.

Var. 2. white-flowered.

Wood Betony. Woods, shady Didy. Gym.
groves. Aug.

BALLOTA. *Cal.* falver-shaped,
with 5 teeth and 10 scores :
Bluff. upper lip concave, scol-
loped.

B. Leaves heart-shaped, undivid- *nigra.*
ed, serrated : calyx teeth taper-
ing to a point.

With. Arr. 533. *E. Bot.* 46.

Sinking Horehound, or Henbit.

Rubbish, hedges. Aug. Didy. Gym.

MARRUBIUM. *Cal.* falver-shaped,
rigid, with 10 scores : *Bluff.*
upper lip cloven, strap-shaped,
straight.

M. Teeth of the calyx bristle- *vulgare.*
shaped, hooked.

With. Arr. 533. *Woodv.* 97.

Whole Plant white with down.

White Horehound. Road-sides, Didy. Gym.
rubbish. Sept.

CLINOPODIUM. *Stamens* crooked:
Anthers approaching: *Involucr.*
 bristle - shaped, beneath the
 whirls.

vulgare.

C. Heads roundish, hispid; floral
 leaves bristle-shaped.

With. Arr. 535.

Bluff. bright purplish red.

Didy. Gym.

Round-headed Basilweed. Mea-
 dows, hedges.

ORIGANUM. *Flowers* forming a 4-
 sided spike-like cone.

vulgare.

O. Spikes roundish, panicked, clus-
 tered: floral leaves egg-shaped,
 longer than the calyx.

With. Arr. 535. *Curt.* 5.

Woodv. 164.

Bluff. pale red, hairy.

Didy. Gym.

Wild Marjoram. Thickets in
 calcareous soil.

SCUTELLARIA. *Cal.* rim nearly
 entire, closed after flowering;
 covered with a lid.

- S. Leaves heart-egg-shaped, near-ly entire: flowers axillary. minor.

With. Arr. 540. *Curt.* 4.

Bloss. reddish purple.

Lesser Skullcap. Boggy ground. Didy. Gym.
Aug.

- BARTSIA. *Cal.* 2-lobed, notched at the end, the points (sometimes) coloured: *Bloss.* (sometimes) less coloured than the calyx; the upper lip longer: *Caps.* 2-celled.

- B. Upper leaves alternate, serrated: flowers distant, lateral. viscôsa.

With. Arr. 541.

Bloss. yellow.

Marsh Painted Cup. Cornwall, Didy. Ang.
Devonshire. Aug.

- B. Leaves opposite, heart-shaped, bluntly serrated. alpina.

With. Arr. 542. *E. Bot.* 361.

Bloss. purple. Sept.

Mountain Painted Cup. River Didy. Ang.
banks.

Odontites. B. Upper leaves alternate, spear-shaped, serrated : flowers in bunches, pointing one way.

Didy. Ang. *With. Arr.* 542.

EUPHRA'SIA. *Cal.* 4-cleft, cylindrical : *Anth.* the lower ones with one thorny lobe at the base : *Caps.* 2-celled, egg-oblong : *Seeds* few, leaning backwards.

officinális. E. Leaves egg-shaped, streaked, sharply toothed.

With. Arr. 543. *Curt.* 5.

Woodv. 220.

Bloss. bluish white, with purple streaks.

Didy. Ang. *Common Eyebright.* Heaths, barren pastures. Sept.

Odontites. E. Leaves strap-shaped, all serrated.

With. Arr. 543. *Curt.* 1.

Fl. Rust. 42.

Bloss. dusky red, or purple.

Didy. Ang. *Red Eyebright.* Corn-fields, pastures. Sept.

MELAMPY'RUM. See Gen. Ch. p.
235.

M. Spikes conical, loose: floral arven'se.
leaves with bristle shaped teeth,
coloured.

With. Arr. 545. *E. Bot.* 53.

Bloss. yellow, and dusky purple.

Purple Cow-wheat. Corn-fields. Didy. Ang.

M. Flowers lateral, pointing one praten'se.
way: leaves in distant pairs:
blossoms closed.

With. Arr. 545. *E. Bot.* 113.

Bloss. of a full yellow, com-
pressed.

Meadow Cow-wheat. Woods, Didy. Ang.
thickets. Aug.

ANTIRRHINUM. See Gen. Ch. p.
236.

A. Leaves egg-shaped, woolly, spurius.
stems trailing.

With. Arr. 549. *Curt.* 3.

Bloss. yellow and purple.

Round-leaved Snapdragon. Corn- Didy. Ang.
fields. Sept.

- répens. A. Leaves strap-shaped, crowded;
the lower in fours: calyx as long
as the capsule.

With. Arr. 550.

Flowers pale blue.

- Didy. Ang. *Creeping Snapdragon.* Fields,
banks, walls. Sept.

- arven'se. A. Leaves nearly strap-shaped;
the lower in fours: calyx with
clammy hairs: flowers in spikes:
stem upright.

With. Arr. 350.

- Didy. Ang. *Flowers* very small, blue. Corn-
fields in sandy soil. Aug.

- monspessu-
lanum. A. Leaves strap-shaped, crowded:
stem shining, panicled: fruit-
stalks spiked, shining.

With. Arr. 550.

Bloss. pale blue, with dark spots.

Sweet-smelling Snapdragon.

- Didy. Ang. Hedges in Cornwall. Sept.

- Linária. A. Leaves spear-strap-shaped,
crowded: stem upright: spikes

terminating, fitting : flowers
tiled.

With. Arr. 551. *Curt.* 1.

Woodv. 221. *Fl. Rust.* 93.

Toad Flax. Butter and Eggs.

Pastures, road-sides. Sept.

Var. 4. *Peloria.* Blossoms regular, with 5 equal stamens and 5 nectaries.

Curt. 6.

Sandy fields about Clapham. Didy. Ang.

A. Blossoms without spurs : flowers nearly spiked : calyx longer than the blossom. *Oronótium.*

With. Arr. 552. *Curt.* 4.

Bloss. red, with a little yellow.

Calf's-snout Snapdragon. Corn- Didy. Ang.
fields in sandy soil. Aug.

SCROPHULARIA. See Gen. Ch.
p. 56.

S. Leaves heart-shaped, doubly *Scorodónia*
ferrated : bunch compound, with
leaves interspersed.

With. Arr. 553.

Bluff. dusky purple.

Didy. Ang.

Palm-leaved Figwort. Watery
places, hedges. Aug.

aquat'ica.

S. Leaves heart-shaped, blunt, on
leaf-stalks running down the
stem: corners of the stem edged
with a membrane: bunches ter-
minating.

With. Arr. 554. *Curt.* 5.

Flowers dirty red.

Didy. Ang.

Water Ectony, or Figwort. Wa-
tery places. Sept.

SIBTHOR'PIA. *Cal.* with 5 divi-
sions: *Bluff.* wheel-shaped, with
5 divisions: *Stamens* in distant
pairs: *Caps.* compressed, round-
ish, 2-celled: partition transverse:
Seeds few.

europæ'a.

S. Leaves between kidney and tar-
get-shaped, fcolloped.

With. Arr. 556.

Didy. Ang.

Bastard Moneywort. Marshy
places, springs. Sept.

LIMOSEL'LA. *Cal.* 5-cleft: *Bluff.*
5-cleft, equal: *Stamens* approach-

ing in pairs: *Germen* 2-celled:
Caps. often 1-celled, 2-valved,
 many-seeded.

- L. Leaves spear-shaped. aquatica.
With. Arr. 557. *E. Bot.* 357.
Bloss. white without, reddish
 within.
Bastard Plantain, or *Mudweed*.
 Muddy places. Sept. Didy. Ang.

THLASPI. See Gen. Ch. p. 26.

- T. Pouch inversely heart-shaped: alpestre.
 leaves glaucous, somewhat tooth-
 ed, embracing the stem: petals
 as long as the calyx: seeds nu-
 merous.
With. Arr. 570. *E. Bot.* 81.
 Yorkshire, Westmoreland. Tctd. Siliq.

ERYSIMUM. See Gen. Ch. p. 58.

- E. Stem very much branched: cheiran-
 thoides.
 leaves spear-shaped, oblique,
 waved and toothed: pods ex-
 panding.
With. Arr. 585.

Bluff. small, yellow.

Tetd. Siliq. *Treacle Wormseed.* Ofter-holts,
river-banks.

SISYMBRIUM. See Gen. Ch. p.
127.

Sóphia. S. Petals smaller than the cups :
leaves doubly compound-winged.
With. Arr. 582. *Fl. Rust.* 57.

Bluff. yellow.

Tetd. Siliq. *Flix-weed.* *Water-cress.* Walls,
rubbish.

GERANIUM. See Gen. Ch. p. 59.

sanguineum G. Leaves circular, with 5 or 7
divisions : segments 3-cleft : fruit-
stalks with a joint : stem trail-
ing.

With. Arr. 600. *E. Bot.* 272.

Petals pale red, with deep red
veins.

Mond. Dec. *Bloody Crane's - bill.* Limestone
rocks, heaths. Sept.

lancastrien-
se. G. Leaves circular, with 5 or 7
divisions : segments 3 - cleft :

fruit-stalks with a joint: stem upright.

With. Arr. 600.

Bluff. white, or pale flesh-colour.

Sandy soil.

Aug. Mond. Dec.

G. Stem 4 - cornered, upright: *nodosum*.
leaves 5 or 3 - lobed, toothed,
rough above, glossy underneath:
petals scored, notched.

With. Arr. 601.

Petals red, scolloped.

Knotty Crane's-bill.

Aug.

Mountainous situations.

Mond. Dec.

MA' LVA. See Gen. Ch. p. 247.

M. Stem declining: leaves round- *pufilla*.
ish heart-shaped, slightly 5-lob-
ed: flowers on fruit-stalks, ge-
nerally in pairs: petals the length
of the calyx.

With. Arr. 612. *E. Bot.* 241. Mond. Poly.

Pembrokeshire.

LAVATERA. *Cal.* double, the
Outer 3-cleft: *Capsules* many,
equal in number to the summits:

placed in a circle, 1 seed in each.

arborea. L. Stem woody: leaves with 7 angles, cottony, plaited: fruit-stalks crowded, axillary, 1 flower on each.

With. Arr. 614.

Bloss. purplish red.

Mond. Poly. *Tree Mallow, or Velvet-leaf.* Sea
flores. Oct.

ONO'NIS. See Gen. Ch. p. 248.

spinosa. O. Flowers in bunches, solitary: leaves solitary, or 3 together: branches thorny.

With. Arr. 627. *Fl. Rust.* 129.

Flowers red.

Thorny Rest-harrow. Cammock.

Diad. Dec. Barren pastures, hedge-banks.

LA'THYRUS. See Gen. Ch. p. 138.

hirsutus. L. Fruit-stalks mostly 2-flowered: tendrils with 2 leaves: legumens hairy. seeds rough.

With. Arr. 633.

Bloss. purple, with yellow lines within.

Rough-podded Vetchling. Corn- Diad. Dec.
fields, ditch banks.

- L. Tendrils with 2 leaves, quite *pratensis*,
simple: leaflets spear-shaped:
tendrils sometimes 3-cleft, and
sometimes with 2.

With. Arr. 633. Curt. 3.

Fl. Rust. 52.

Bloss. yellow.

Tare Everlasting. Pastures, Diad. Dec.
thickets, hedges. Aug.

- L. Tendrils with 2 leaves: leaflets *sylvestris*,
sword-shaped: stem with mem-
branaceous borders between the
knots.

With. Arr. 634. Curt. 6.

Bloss. red and white.

Narrow-leaved Pease Everlasting.

Woods, hedges. Aug. Diad. Dec.

- L. Tendrils with 2 leaflets: leaflets *latifolius*,
spear-shaped: stem with mem-

branaceous borders between the knots.

With. Arr. 634. Fl. Rust. 8.

Diad. Dec.

Bloss. pale purplish rose colour.

Broad-leaved Pease Everlasting.

palus tris.

L. Tendrils with many leaflets : stipulæ spear-shaped.

With. Arr. 635. E. Bot. 169.

Bloss. blue purple.

Diad. Dec.

Chickling Vetch. Moist meadows.
Aug.

VICIA. See Gen. Ch. p. 61.

sylvatica.

V. Leaflets oval : stipulæ finely toothed.

With. Arr. 635. E. Bot. 79.

Fl. Rust. 116.

Diad. Dec.

Wood Vetch. Woods. Aug.

Cracca.

V. Flowers tiled : leaflets spear-shaped, pubescent : stipulæ entire.

With. Arr. 636. Curt. 5.

Fl. Rust. 117.

Bloss. bluish purple.

Tufted Vetch. Hedges, shady Diad. Dec.
places. Aug.

- V. Legumens on fruit-stalks, so- bithynica.
litary, upright: leaflets 4, oval-
spear-shaped: stipulæ toothed.
With. Arr. 639.

Flowers red purple.

Rough Vetch. Gravelly corn- Diad. Dec.
fields and pastures.

ASTRAGALUS. See Gen. Ch. p.
250.

- A. Stalk upright, longer than the uralensis.
leaves: legumens awl-shaped, in-
flated, woolly, upright.
With. Arr. 644.

Bluff. purple, or violet blue.

Hairy Cock's-head. Mountainous Diad. Dec.
pastures.

TRIFOLIUM. See Gen. Ch. p.
140.

- T. Spikes woolly, oval: teeth of arvensis.
the calyx bristle-shaped, woolly,
equal.

With. Arr. 649. *Curt.* 6.

Bloff. pale red.

Diad. Dec.

Hares'-foot Trefoil. Sandy pastures. Aug.

médium.

T. Spikes loose: blossom nearly regular: stipulæ awl-shaped, converging: stems zigzag, branched.
With. Arr. 650. *E. Bot.* 190.
Fl. Rust. 2.

Diad. Dec.

Zigzag Trefoil. Woods, hedges.

MEDICAGO. See Gen. Ch. p. 142.

falcata.

M. Flowers in bunches: legumens crescent-shaped: stem prostrate.
With. Arr. 658. *Fl. Rust.* 86.

Bloff. yellow or purple.

Diad. Dec.

Yellow Medick. Butter Jags.
Meadows, sandy pastures.

HYPERICUM. See Gen. Ch. p. 254.

Androsæ-
mum.

H. Fruit like a berry: stem 2-edged.

With. Arr. 663. *Curt.* 3.

Petals yellow.

Tutsan. Park Leaves. Woods, Polyad. Poly.
moist hedges. Sept.

H. Leaves egg-shaped, with pellucid dots: stem 4-cornered. quadrangulum.

With. Arr. 663. *Curt.* 4.

E. Bot. 370.

Petals yellow, ribbed.

Quadrangular St. John's Wort.

Moist hedges.

Polyad. Poly.

H. Stem imperfectly 4-edged: dubium.
leaves blunt; without pellucid dots: calyx leaves elliptical.

With. Arr. 664. *E. Bot.* 296.

Petals large, yellow.

Imperforate St. John's Wort. Worcester- Polyad. Poly.
shire. Aug.

H. Flowers axillary, solitary: stems humifusum.
2-edged, prostrate, thread-shaped: leaves smooth.

With. Arr. 665. *Curt.* 3.

Petals yellow.

Trailing St. John's Wort. Pastures, Polyad. Poly.
heaths.

elódes. H. Stem cylindrical, creeping, woolly: leaves woolly roundish.
With. Arr. 665. E. Bot. 109.

Bloss. reddish yellow.

Polyad. Poly. *Marsh St. John's Wort.* Marshy places, bogs.

montánum. H. Calyx ferrated with glands: stem cylindrical, upright; leaves egg-shaped, smooth.

With. Arr. 666. E. Bot. 371.

Bloss. yellow.

Polyad. Poly. *Mountain St. John's Wort.* Woods, thickets in mountainous situations.

PI'CRIS: *Recept.* naked: *Calyx* double: *Down* feathered: *Seeds* with transverse furrows.

echioídes. P. Outer calyx of 5 leaves, larger than the inner: the inner awned.

With. Arr. 673. Curt. 3.

Bloss. yellow.

Syng. Æqua. *Common Oxtongue.* Borders of corn-fields. Aug.

- P. Calyx loose: leaves entire: *Hieracioides*.
fruit-stalks scaly up to the calyx.

With. Arr. 673. E. Bot. 196.

Flowers yellow.

- Yellow Succory. Hawkweed Ox-* *Syng. Æqua.*
tongue. In calcareous soil.

SONCHUS. See Gen. Ch. p. 256.

- S. Fruit-stalks and calyxes rough *palustris*.
with hair, in a sort of umbel:
leaves notched, arrow-shaped at
the base.

With. Arr. 674. Curt. 5.

Bloss. yellow.

Marsh Sowthistle. Watery places. Syng. Æqua.
Aug.

- LACTUCA. *Recept. naked: Calyx*
tiled, cylindrical, the scales mem-
branaceous at the edge: Down
hair-like, on a pedicle.

- L. All the leaves horizontal, tooth- *viridis*.
ed: their mid-rib prickly on the
back.

With. Arr. 677. Woodv. 250.

Bluff. numerous, yellow. Aug.
 Syng.Æqua. *Wild Lettuce.* Ditch-banks.

PRENAN'THES. *Recept.* naked: *Calyx* double: *Down* hair-like, nearly fitting: *Florets* in a single row.

murális. P. *Florets* 5: leaves notched.
With. Arr. 678. *Curt.* 5.
Bluff. yellow.

Syng.Æqua. *Wall Ivy - leaf.* Walls, shady woods.

LEON'TODON. See Gen. Ch. p. 9.

autumnále. L. Stem branched: fruit - stalks scaly: leaves spear-shaped, toothed, very entire, smooth: down mostly fitting.
With. Arr. 680.

Syng.Æqua. *Autumnal Dandelion.* *Devil's Bit.*
 Pastures. Aug.

HIERA'CIIUM. See Gen. Ch. p. 145.

- H. Leaves oblong, entire, tooth- alpinum.
ed: stalk almost naked: calyx
hairy.

With. Arr. 683.

Bloss. yellow.

Mountain Hawkweed. Mountains Syng.Æqua.
in dry soil. Aug.

- H. Stem panicled: leaves em- paludosum.
bracing the stem, toothed, smooth:
calyxes hispid.

With. Arr. 686.

Flowers bright yellow.

Marsh Hawkweed. Moist mea- Syng.Æqua.
dows.

- H. Leaves spear-shaped, toothed, Taraxaci.
smooth: stalk almost naked:
calyx hairy.

With. Arr. 683.

Sides of mountains. Syng.Æqua.

- H. Leaves entire, egg - oblong: dubium.
suckers creeping.

With. Arr. 684.

Creeping Hawkweed. Moist Syng.Æqua.
mountains. Aug.

Aurícula. H. Leaves very entire, spear-shaped : suckers creeping.

With. Arr. 684.

Flowers in a panicle; 3 to 6, yellow.

Syng.Æqua. *Narrow-leaved Hawkweed.*
Mountains.

subaúdum. H. Stem upright, many flowered : leaves egg-spear-shaped, toothed, half embracing the stem.

With. Arr. 685. *E. Bot.* 349.

Bloss. yellow.

Syng.Æqua. *Shrubby Hawkweed.* Woods,
hedges. Aug.

murórum. H. Stem branched : root-leaves egg-shaped, toothed : stem-leaf smaller.

With. Arr. 686.

Bloss. yellow.

Syng.Æqua. *French Lungwort.* Woods, old
walls.

mol'le. H. Leaves soft, spear-shaped, nearly entire : lower ones on leaf-stalks : flowers on fruit-

stalks, nearly forming a corymbus.

With. Arr. 688.

Flowers deep yellow.

Scotland.

Aug. Syng.Æqua.

H. Leaves strap-shaped, somewhat umbellatum toothed, scattered: flowers in a sort of umbel.

With. Arr. 688. *Curt.* 6.

Flowers large, yellow.

Bushy Hawkweed. Hedges, dry Syng.Æqua.
shady places. Aug.

CREPIS. See Gen. Ch. p. 257.

C. Leaves notched, with winged bien'nis.
clefts, rough, toothed above the base: calyx bristly.

With. Arr. 690. *E. Bot.* 149.

Bloss. yellow.

Rough Succory Hawkweed. In a Syng.Æqua.
calcareous soil. Aug.

HYPOCHÆRIS. See Gen. Ch. p.
146.

maculáta.

H. Stem almost bare, with a solitary branch: leaves egg-oblong, entire, toothed.

With. Arr. 691. *E. Bot.* 225.

Bloss. yellow.

Syng. Æqua.

Spotted Cat's-ear. Mountainous meadows.

CICHO'RIUM. *Recept.* somewhat chaffy: *Calyx* double: *Down* about 5 teeth, indistinctly hairy.

In'tybus.

C. Flowers in pairs, fitting: leaves notched.

With. Arr. 693. *Woodv.* 248.

Curt. 4. *Fl. Rus.* 144.

Bloss. of a fine blue.

Syng. Æqua.

Wild Succory, or Endive. Corn-fields. Aug.

ARC'TIUM. *Cal.* globular: scales with hooked points, bent inwards.

Lap'pa.

A. Leaves heart-shaped, without thorns, on leaf-stalks.

With. Arr. 694. *Curt.* 4.

Woodv. 15.

Syng. Æqua.

Burdock. Road-fides. Aug.

SERRA'TULA. *Cal.* nearly cylindrical, tiled; scales not awned.

- S. Leaves lyre-shaped and wing-cleft; the terminating segment very large: florets all alike. tinctoria.

With. Arr. 695. *E. Bot.* 38.

Bloss. purple.

Common Saw-wort. Woods, pastures. *Syng.Æqua.*

- S. Leaves toothed, thorny. arvensis.

With. Arr. 696.

Bloss. pale purple.

Corn Saw-wort. Way Thistle. *Syng.Æqua.*
Corn-fields, road-sides.

CAR'DUUS. See *Gen. Ch.* p. 146.

- C. Leaves thorny at the edge: branches straight; flowers in clusters, sitting: calyxes nearly cylindrical; scales upright but open; pungent. tenuiflorus.

With. Arr. 698. *Curt.* 6.

Slender-flowered Thistle. Hedges, ditch-banks. *Syng.Æqua.*
Aug.

criophórus. C. Leaves with winged clefts pointing 2 ways, every other segment upright: calyxes globular, woolly.

With. Arr. 700. *E. Eot.* 386.

Bloss. purple, or white.

Syng.Æqua. Woolly-headed Thistle. Friar's Crown. Meadows, pastures.

acaúlis. C. Stemless: calyx smooth.

With. Arr. 703. *E. Bot.* 161.

Bloss. purple.

Syng.Æqua. Dwarf Thistle. Blackheath.

ONOPORDUM. *Recept.* like a honeycomb: Calyx bellying: scales sharp pointed.

Acanthium O. Calyx scales expanding, their points standing out: leaves egg-oblong, indented.

With. Arr. 704. *Curt.* 5.

Syng.Æqua. Common Argentine. Cotton Thistle. Rubbish, road-sides.

BI'DENS. *Recept.* chaffy: Down rough with straight awns: Calyx tiled.

- B. Leaves spear-shaped, embracing the stem: flowers on crooked fruit-stalks: seeds upright. *cer' nua.*

With. Arr. 705. Curt. 3.

Bloss. and Summits yellow.

Nodding Double-tooth. Wet Syng.Æqua.
ditches. Aug.

- B. Leaves 3-cleft: seeds upright. *tripartita.*

With. Arr. 706. Curt. 4.

Flowers terminating, yellow.

Trifid Double-tooth. Water Hemp. Syng.Æqua.
Watery places. Aug.

- EUPATORIUM. *Recept. naked:*
Down feathered: Cal. oblong,
tilled: Style long, cloven half way
down.

- E. Calyx 5-flowered: leaves with *cannab'i-*
finger-like divisions. num.

With. Arr. 706.

Bloss. purplish red.

Hemp Agrimony. Banks of rivers, Syng.Æqua.
brooks. Aug.

- ARTEMISIA. *Recept. either slight-*
ly hairy or naked: Down none:

Calyx tiled : the scales roundish,
closing : *Florets*, radiate, none.

- campéstris. A. Leaves many-cleft, strap-shaped : stems trailing, rod-like.
With. Arr. 709. *E. Bot.* 338.
Bluff. brown.
- Syng. Super. *Field Southernwood.* Thetford,
Norfolk.

GNAPHALIUM. See Gen. Ch. p.
146.

- luteo-
album. G. Leaves sword-shaped, half embracing the stem, serpentine at the edge, blunt, downy on both surfaces : flowers crowded close together.

With. Arr. 712.

- Syng. Super. *Everlasting. Live-for-ever.* Sea
coasts. Aug.

- supinum. G. Stem undivided, trailing :
flowers scattered.

With. Arr. 714.

- Syng. Super. *Dwarf Cudweed.* Dry mountainous pastures. Aug.

- G. Stem somewhat forked : flowers conical, axillary and terminating. *montánum.*

With. Arr. 715.

Least Cudweed. Sandy meadows. *Syng. Super.*
Aug.

- G. Stem supporting a panicle : flowers conical, lateral. *arven'se.*

With. Arr. 716. Syng. Super.

- G. Panicle forked : flowers roundish, axillary, hairy : leaves acute. *germánicum*

With. Arr. 716.

Bluff. yellowish.

Common Cudweed. Barren meadows. *Syng. Super.*
Aug.

- CONYZA. *Recept.* naked : Down hair-like : *Calyx* tiled, roundish : *Florets* of the circumference 3-cleft.

- C. Leaves spear-shaped, acute : stem herbaceous : flowers in a corymbus : scales of the calyx with their points turned outwards. *squarrósa.*

With. Arr. 717.

Bluff. yellow, or dusky purple.

Syng. Super. *Great Flea-bane.* Woods in Norfolk in a clayey soil. Aug.

ERIGERON. *Recept.* naked: Down hair-like: *Florets* of the circumference strap-shaped, very narrow.

alpinum. E. Leaves blunt, woolly underneath: stem with 1 or 2 flowers: calyx rather hairy.

With. Arr. 718.

Bluff. purple and yellow.

Syng. Super. *Flea-bane.* Scotland.

acre. E. Fruit-stalks alternate, with 1, 2, or 3 flowers.

With. Arr. 718. *Curt.* 1.

Syng. Super. *Blue Flea-bane.* Dry meadows in a calcareous soil. Sept.

SENÉCIO. See Gen. Ch. p. 9.

ylvaticus. S. Leaves wing-cleft, finely toothed: stem branching into a corymbus: upright.

With. Arr. 722.

Bloss. full yellow.

Bushy Groundsel. Banks in dry Syng. Super.
soil.

- S. Leaves toothed, those at the aquaticus.
root egg-shaped, those of the
stem wing-cleft; the outer seg-
ments largest.

With. Arr. 725.

Water Groundsel. Ditches, wa- Syng. Super.
tery places. Aug.

- S. Flowers in a corymbus: leaves faracenicus.
spear-shaped, serrated, almost
smooth.

With. Arr. 726.

Flowers yellow.

Broad leaved Groundsel. Moist Syng. Super.
meadows. Aug.

SOLIDA'GO. *Recept.* naked: *Down*
hair-like: *Florets* of the circum-
ference about 5: *Calyx* scales
tiled, laid close.

- S. Stem straight, unbranched: can'brica,
leaves spear-shaped; the upper
nearly fitting, the lower on leaf-

stalks as long as themselves :
flowers in a panicle.

With. Arr. 728.

Syng. Super.

Welch Golden Rod.

IN'ULA. *Recept.* naked : Down
hair-like : *Anthems* with 2 bristles
at the base.

Helénium.

I. Leaves embracing the stem, egg-
shaped, wrinkled, cottony under-
neath : scales of the calyx egg-
shaped.

With. Arr. 730. *Woodv.* 108.

Bloss. yellow.

Syng Super.

Common Elecampane. Moist mea-
dows. Aug.

CHRYSAN'THEMUM. See Gen. Ch.
p. 261.

inodórum.

C. Leaves winged, many-cleft :
stem branched, spreading.

With. Arr. 734.

Syng. Super.

Chamomile Goldins. Corn-fields,
road-sides. Sept.

MATRICA'RIA. See Gen. Ch. p.
148.

- M. Receptacles hemispherical : marítima.
leaves doubly winged, somewhat
fleshy : convex above, keeled un-
derneath.

With. Arr. 736.

Sea Feverfew. Sea coast in sandy Soil. Syng. Super.

AN'THEMIS. See Gen. Ch. p. 148.

- A. Leaves winged, finely toothed, marítima.
fleshy, naked, dotted : stem pro-
strate : calyx somewhat cottony.

With. Arr. 740.

Sea Camomile. Meadows on the Sea coast. Aug. Syng. Super.

- A. Leaves doubly winged, serrated, tinctoria.
cottony underneath : stem sup-
porting a corymbus.

With. Arr. 740.

Bloss. yellow.

Ox-eye Camomile. Sunny pastures. Aug. Syng. Super.

CENTAUREA. See Gen. Ch. p. 263.

- C. Calyx scales egg-shaped, fringe nigra.
hair-like, upright : lower leaves
lyre-shaped, angular ; upper ones

A a 2

egg strap-spear-shaped, and nearly entire.

Var. 1. Flowers without rays.

With. Arr. 743. E. Bot. 278.

Syng. Fruf.

Black Knapweed. Meadows, pastures. Aug.

Scabiófa.

C. Calyx scales fringed: leaves wing-cleft: segments spear-shaped.

With. Arr. 744. E. Bot. 56.

Bl. purple, sometimes white.

Syng. Fruf.

Greater Knapweed. Corn-fields.

Calcitrápa.

C. Calyx fitting, almost doubly thorned: leaves wing-cleft, segments strap-shaped, toothed: stem hairy.

With. Arr. 745. E. Bot. 125.

Bl. purple, or white.

Syng. Fruf.

Star Thistle. Barren meadows, road sides. Aug.

AUGUST.

SALICOR'NIA. *Cal.* rather belly- herbácea.
ing, entire: *Stam.* 1 (or 2):
Seed 1.

S. Herbaceous, wide spreading:
joints flatted at the top, and
notched.

With. Arr. 4.

Jointed Glasswort. Marsh Sam- Mo. Mo.
phire. Sea shore. Sept.

O'PHRYS. See Gen. Ch. p. 34.

O. Bulbs branched, zigzag: stem Corallorhiza
sheathed, leafless: lip of the nec-
tary 3-cleft.

With. Arr. 32.

Coral-rooted Twayblade. Moist Di. Mo.
woods. Sept.

O. Bulbs incorporated, oblong: spirális.
stem somewhat leafy: flowers
placed spirally, but pointing one

way : lip of the nectary undivided, finely scolloped.

With. Arr. 33. *Curt.* 4.

Flowers numerous, white. Oct.

Di. Mo.

Triple Twayblade. Ladies Traces.

Dry sandy and chalky pastures.

SERA'PIAS. See Gen. Ch. p. 71.

rúbra.

S. Leaves sword-shaped : flowers upright : lip of the nectary acute.

With. Arr. 42.

Di. Mo.

Red Helleborine. Yorkshire.

CRO'CUS. See Gen. Ch. p. 5.

fativus.

C. Sheath 1 valve, rising from the root : tube of the blossom very long.

With. Arr. 68. *E. Bot.* 343.

Woodv. 176. *Fl. Rust.* 58.

Bloss. purplish blue.

Tri. Mo.

Common or Autumnal Saffron.

Saffron Walden, Essex. Sept.

AMARAN'THUS. *Flowers* Male and Fem. on the same plant : *Bloss.* none : *Calyx* 3 or 5-leaved.

Male. *Stamens* from 2 to 5.

Fem. *Caps.* 1 cell, cut round :
1 feed.

A. *Stamens* 3 : clusters lateral : Blítum.
flowers 3-cleft : stem spreading.

With. Arr. 174.

Rubbish.

Tri. Tri.

DIP'SACUS. See Gen. Ch. p. 162.

D. Leaves on leaf-stalks, with ap- pilófus.
pendages at the base.

With. Arr. 182. *Curt.* 1.

Shepherds' Rod or Staff. Hedges, Tet. Mo.
damp places.

GA'LIIUM. See Gen. Ch. p. 77.

G. Leaves mostly 8 in a whirl, scábrum.
rough, dagger-pointed, furrow-
ed : stem and leaves pubescent.

With. Arr. 190.

Downy-stalked Goose-grass. In a Tet. Mo.
marly soil.

G. Fruit - stalks lateral, almost tricórne.
naked, 3-cleft, pedicles bent out-
wards.

With. Arr. 190.

Tet. Mo. *Valantia Aparine.* Which see.
Fl. Rust. 122.

URTICA. See Gen. Ch. p. 271.

pilulifera. U. Leaves opposite, egg-shaped,
 serrated: fertile catkins globular.
With. Arr. 202. *E. Bot.* 148.

Tet. Mo. *Roman Nettle.* Rubbish.

ECHINUM. See Gen. Ch. p. 173.

violaceum. E. Stem flaccid, rough with strong
 hairs: blossoms as long as the
 stamens, scored, hairy: tube
 shorter than the calyx: filaments
 and style smooth.
With. Arr. 233.

Pen. Mo. Banks, corn-fields.

CAMPANULA. See Gen. Ch. p. 87.

rotundifolia. C. Root - leaves kidney - shaped:
 stem leaves strap-shaped, very
 entire.

With. Arr. 241, *Curt.* 4.

Bloss. blue, purple, or white.

Pen. Mo. *Round-leaved Bell-flower.*

Heaths. Oct.

CHIRO'NIA. See Gen. Ch. p. 180.

C. Blossom funnel - shaped, tube pulchella.
long: stem undivided.

With. Arr. 255.

Port Owen, Cornwall. Sept. Pen. Mo.

CHENOPO'DIUM. See Gen. Ch. p.
89.

C. Leaves triangular, somewhat ur'bicum.
toothed: bunches crowded, quite
straight, laid close to the stem,
very long.

With. Arr. 270.

Upright Goosefoot. Dunghills, Pen. Di.
rubbish. Sept.

C. Leaves heart-triangular, rather rúbrum.
blunt, and toothed: bunches up-
right, compound, somewhat leafy,
shorter than the stem.

With. Arr. 271.

Red Goosefoot. Sowbane. Dung- Pen. Di.
hills, rubbish.

C. Leaves diamond - triangular, al'bum.
gnawed, entire behind: the up-
permost oblong: bunches up-
right.

With. Arr. 271. Curt. 2.

- Pen. Di. *Common Wild Orache. White Goosefoot.* Corn-fields, dung-hills.
- viride. C. Leaves diamond-shaped, toothed, indented: bunches branched, sometimes leafy.
With. Arr. 272. Curt. 2.
- Pen. Di. *Green Goosefoot.* Kitchen gardens.
- hybridum. C. Leaves heart-shaped, with angles tapering to a point: bunches branching, leafless.
With. Arr. 272. Curt. 4.
- Pen. Di. *Maple-leaved Goosefoot.* Rubbish, kitchen gardens.
- glaucum. C. Leaves egg-oblong, serpentine: bunches naked, simple, clustered.
With. Arr. 272.
- Pen. Di. *Oak-leaved Goosefoot.* Rubbish.
- olidum. C. Leaves very entire, diamond egg-shaped: flowers congregated, axillary.
With. Arr. 273. Curt. 5.
Woodv. 145.

Trailing, smelling like salt-fish.

Stinking Orache, or *Goosefoot*.

Pen. Di.

Road-fides, walls, rubbish.

C. Leaves awl-shaped, semi-cylindrical. maritimum.

With. Arr. 273.

Small White Glasswort. *Sea Goosefoot*. Sea shore. Pen. Di.

A'TRIPLEX. See Gen. Ch. p. 293.

A. Stem herbaceous: calyx valves of the female flowers large, trowel-shaped, indented. haftáta.

With. Arr. 274. *Curt.* 2.

Wild Orache. *Fat Hen*. Rubbish, dunghills. Pen. Di. Sept.

A. Stem herbaceous, spreading: leaves somewhat trowel-spear-shaped: calyx of the fruit toothed on the disk. patúla.

With. Arr. 275.

Spear Orache. Rubbish. Pen. Di.

A. Stem herbaceous, upright: leaves all strap-shaped, very entire. littoralis.

With. Arr. 275.

Pen. Di. *Grass - leaved Orache.* Sea shores.

SAL'SOLA. See Gen. Ch. p. 284.

fruticósa. S. Shrub-like, upright: leaves thread-shaped, bluntish.
With. Arr. 278.

Pen. Di. *Shrub Stonecrop, or Glasswort.*
Sea shore.

SWER'TIA. *Bloss.* wheel-shaped: nectariferous pores at the base of the segments: *Caps.* 1-celled, 2-valved.

peren'nis. S. Blossom 5-cleft: root-leaves oval.
With. Arr. 280:

Pen. Di. *Marsh Gentian.* Mountains in Wales.

GENTIA'NA. See Gen. Ch. p. 95.

Pneumonanthe. G. Blossoms 5-cleft, bell-shaped, on fruit-stalks: leaves strap-shaped.
With. Arr. 280. E. Bot. 20.

Bloff. blue.

Calathian Violet. Marsh Gentian. Pen. Di.

Moist pastures.

- G. Blossoms 5-cleft, funnel-shaped: branches axillary, alternate, 1-flowered: calyx with 5 keeled angles.

With. Arr. 280.

Scotland.

Pen. Di.

- G. Blossoms 5-cleft, salver-shaped: mouth bearded: calyx segments equal.

With. Arr. 281. *E. Bot.* 236.

Bloff. blue.

Autumnal Gentian. Calcareous Pen. Di.
soil. Sept.

- G. Blossoms 4 or 5 cleft: mouth bearded: calyx segments, 2 of them larger.

With. Arr. 281. *E. Bot.* 237.

Bloff. blue.

Field Gentian. Mountainous pastures. Pen. Di.
Oct.

CAUCALIS. See Gen. Ch. p. 91.

Anthriscus. C. Seeds oval, rough on the back with scattered prickles: involucre many leaved: seeds egg-shaped: styles reflected: leaves doubly compound; the terminating leaflet strap-spear-shaped.

With. Arr. 288. *Curt.* 6.

Pen. Di.

Hedge Parsley, or *Hensfoot*.

ATHAMANTA. *Petals* bent inwards, notched at the end: *Fruit* egg-oblong, scored.

Libanotis.

A. Leaves doubly winged, flat: umbels hemispherical: seeds hairy.

With. Arr. 294. *E. Bot.* 138.

Flowers white.

Pea. Di.

Mountain Spignel, or *Stone Parsley*.
Gogmagog Hills. Sept.

PEUCEDANUM. See *Gen. Ch.* p. 186.

Silaus.

P. Leaflets wing-cleft: segments opposite: involucre of 2 leaves.

With. Arr. 294. *Fl. Rust.* 128.

Petals pointed, yellow.

Meadow Saxifrage, or Sulphur- Pen. Di.
wort. Moist meadows.

CRITHMUM. *Florets equal: Fruit*
oval, compressed.

C. *Leaflets spear-shaped, fleshy.* maritimum.
With. Arr. 295.

Flowers white.

Rock Samphire. Sea coast. Pen. Di.

SISON. See Gen. Cn. p. 187.

S. *Leaves winged: umbels up-* Amomum.
right.
With. Arr. 300.

Flowers white.

Bastard Stone Parsley. Hedges. Pen. Di.
Sept.

S. *Leaflets in whirls, hair-like.* verticillá-
With. Arr. 301. tum.

Whirled Honewort. Meadows Pen. Di.
in Wales.

ÆTHUSA. See Gen. Ch. p. 92.

Æ. *All the leaves alike: fruit* Cynápium.
nearly globular.
With. Arr. 304. Curt. 1.

Flowers whitish.

Pen. Di. *Fool's Parsley.* Corn-fields.


Sept.

PIMPINEL L.A. See Gen. Ch. p.
94.

saxifraga. P. Leaves winged: leaflets on the
root-leaves roundish; those of the
upper ones strap-shaped.

With. Arr. 311. Woodv. 178.

Fl. Rust. 127.

Pen. Di. *Small Burnet Saxifrage.* Gravelly
soil.  Sept.

mag'na. P. Leaves uniform, winged: leaflets
spear-shaped, irregularly serrated:
floral leaves wing-cleft.

With. Arr. 313.

Petals white.

Pen. Di. *Great Burnet Saxifrage.* Woods,
hedges, in limestone. Sept.

APIUM. *Involucr.* 1 leaf: *Petals*
equal: *Fruit* small, bulging, rib-
bed: *Styles* bent backwards.

graveolens. A. Stem-leaves wedge-shaped.

With. Arr. 314.

Petals white.

Smallage. Parsley. Ditches. Pen. Di.

PARNASSIA. *Cal.* with 5 divisions:

Petals 5: *Nectaries* 5, heart-shaped, fringed, with little balls on the top of the fringe: *Caps.* 4-valved, 1-celled. *Seeds* with a membranaceous border.

P. *Nectaries* simple. palustris.

With. Arr. 319. *E. Bot.* 82.

Grass of Parnassus. Boggy meadows in Norfolk. Pen. Tet.

LI'NUM. See Gen. Ch. p. 96.

L. *Leaves* opposite: stem forked: *Radiola.*
stamens 4; *pistils* 4.

With. Arr. 323.

Bloss. white.

Allseed Flax. Least Rupturewort. Pen. Pen.
Moist sandy heaths.

SCILLA. See Gen. Ch. p. 20.

S. *Leaves* strap-shaped, narrow: autumnalis.
flowers in a spike-like corymbus: *fruit - stalks* naked, as-

ending, about as long as the flower.

With. Arr. 338. *Curt.* 6.

E. Bot. 78.

Flowers bluish purple.

Hex. Mo.

Autumnal Squill. Dry pastures,
St. Vincent's Rock. Sept.

RU'MEX. See Gen. Ch. p. 101.

paludófus.

R. Leaves heart - spear - shaped,
bluntish: whirls of flowers distinct,
beneath the floral leaf.

With. Arr. 354.

Hex. Tri.

Marsh Dock. Marshes, banks of
rivers.

COL'CHIUM. *Cal.* none: *Bloss.*
with 6 divisions, tube very long,
extending down to the root:
Caps. 3, inflated, united.

autumnále.

C. Leaves flat, spear-shaped, upright.

With. Arr. 359. *Woodv.* 177.

E. Bot. 133.

Bloss. pale blue.

Hex. Tri.

Meadow Saffron, or Tuberoot.

Meadows.

Sept.

POLY'GONUM. See Gen. Ch. p.
45.

P. Pistils 2: stipulæ not fringed: *pal'idum.*
fruit-stalks rough with glands:
seeds depressed on each side.

With. Arr. 381. Curt. 1.

Pale-flowered Snakeweed. Dungs-
hills, corn-fields, on the side of
water.

Var. 2. Stem and flowers red.

Var. 3. Flea-bitten, stem spotted
with red. Ditches.

Var. 4. Leaves hoary under-
neath.

Willow-leaved Snakeweed. Corn- *O& Tri.*
fields.

ELAT'INE. *Cal.* 4-leaved: *Petals*
4: *Caps.* 4-celled, 4-valved,
flatted.

E. Leaves in whirls.

With. Arr. 386.

Alfina's -
trum.

Flowers white.

Waterwort. Ditches, bogs.

O& Tet.

MERCURIA'LIS. See Gen. Ch. p. 46.

an' nua. M. Stem branching: leaves smooth:
flowers in spikes.

With. Arr. 392. *Curt.* 5.

Enne. Di. *French Mercury.*

SE'DUM. See Gen. Ch. p. 106.

Teleph'ium. S. Leaves flattish, ferrated: co-
rymbus leafy: stem upright.

Var. 1. white-flowered.

Var. 2. purple-flowered.

With. Arr. 426. *Curt.* 3.

Dec. Pen. *Orpine Stonecrop.* Pastures,
hedges.

CERATOPHYLLUM. Male and Fem.
flowers on the same plant: *Cal.*
with many divisions: *Bloss.*
none.

Male. *Stamens* twice as many as
the segments of the calyx.

Fem. *Style* none: *Nut* coated,
without valves.

demer'sum. C. Leaves forked, toothed: lower
ones strap-shaped: upper ones
much crowded, tubular, and in-

flated; beaks of the capsule of equal length.

With. Arr. 440.

Floating Hornweed. Ditches, Dode. Mo.
flow streams. Sept.

- C. Leaves forked, toothed: lower submer'sum, ones tubular, and sometimes inflated; upper ones hair-like, near together: capsules with a short blunt point.

With. Arr. 441.

Ditches.

Dode. Mo.

EUPHORBIA. See Gen. Ch. p. 109.

- E. Umbel of 4 or 5 spokes, each stric'ta. 3-cleft, and these forked: involucella nearly ovate: leaves spear-shaped, serrated, entire at the base, smooth: capsules warty, hairless.

With. Arr. vol. 4, p. 404.

E. Bot. 333.

Warty Spurge. Corn-fields. Dode. Tri.

- E. Umbels with 6 spokes, spokes hyber'na. forked: involucellums oval:

leaves very entire: branches none:
capsules warty.

With. Arr. 450.

Dode. Tri.

Makinboy, Knotted-rooted Spurge.
Corn-fields.

MEN'THA. See Gen. Ch. p. 320.

lyles' tris.

M. Spikes oblong: leaves oblong,
ferrated, cottony, fitting: sta-
mens longer than the blossom;
sometimes not longer.

With. Arr. 521.

Didy. Gym.

Horfe Mint. Watery places.

rotundifolia.

M. Spikes oblong: leaves round-
ish, scolloped, fitting.

With. Arr. 522.

Flowers pale red.

Didy. Gym.

Round - leaved Mint. Watery
places.

hirsuta.

M. Leaves egg-shaped, ferrated,
nearly fitting, downy: stamens
longer than the blossom.

With. Arr. 522.

Bloss. purplish white.

Didy. Gym.

Sides of rivers.

M. Leaves egg-shaped, ferrated, aquática.
on leaf-stalks : stamens longer
than the blossom.

With. Arr. 523.

Bloss. pale red.

Water Mint. Banks of rivers. Didy. Gym.

M. Leaves egg-shaped, on leaf- piperita.
stalks : stamens shorter than the
blossom.

With. Arr. 523. Woodv. 169.

Bloss. purplish red.

Var. 2. Flowers in spikes.

Pepper Mint. Sides of rivulets. Didy. Gym.
Sept.

M. Leaves egg-shaped, blunt, Pulégium.
somewhat scolloped : stems round-
ish, creeping : stamens longer
than the blossom.

With. Arr. 525. Woodv. 171.

Bloss. pale purple.

Pennyroyal Mint. Moist heaths. Didy. Gym.
Sept.

STA'CHYS. See Gen. Ch. p. 231.

S. About 6 flowers in a whirl : palus'tris.

leaves strap-spear-shaped, half embracing the stem, fitting.

With. Arr. 532. *Curt.* 3.

Bluff. reddish purple, mottled.

Didy. Gym.

Clown's Woundwort, or *Allheal*.

Watery places.

MELIS'SA. See Gen. Ch. p. 233.

Nep'eta.

M. Fruit-stalks axillary, forked, longer than the leaves: stem ascending, hairy.

With. Arr. 538. *Curt.* 6.

Bluff. pale purplish blue.

Didy. Gym.

Field Baum. Sides of roads and corn-fields.

SCUTELLA'RIA. See Gen. Ch. p. 324.

galericuláta. S. Leaves heart-spear-shaped, scolloped: flowers axillary.

With. Arr. 540. *Curt.* 3.

Bluff. blue.

Didy. Gym.

Hooded Willowherb. Banks of rivers.

ANTIRRHÍNUM. See Gen. Ch. p. 236.

- A. Leaves halbert-shaped, alternate: stems trailing. Elatine.

With. Arr. 549. *Curt.* 1.

- Sharp-pointed Fluellin.* Corn- Didy. Ang.
fields. Oct.

SINAPIS. See Gen. Ch. p. 132.

- S. Pods rough with hair: beak alba.
very long, standing, sword-shaped.

With. Arr. 594. *Curt.* 5.

Fl. Rust. 70.

Petals yellow.

White Mustard.

Tetrd. Siliq.

- ALTHÆA. Cal. double, outer 9-cleft: Capsules many, 1 seed in each.

- A. Leaves undivided, angular, officinalis.
cottony.

With. Arr. 611. *E. Bot.* 147.

Woodv. 53.

Bloss. white, or pale flesh-colour.

Marsh Mallow. Salt marshes. Mond. Poly.

FUMARIA. See Gen. Ch. p. 60.

- capreolata. F. Seed-vessels in bunches, 1 seed in each: leaves climbing, sparingly furnished with tendrils.

With. Arr. 621.

Bloss. pale red.

Diad. Hex.

Ramping Fumitory. Rocks by the sea side. Oct.

PI'SUM. *Cal.* 2 upper segments shorter: *Style* with 3 angles, heeled and pubescent above: *Legumens* inflated.

- maritimum. P. Leaf-stalks flattish above: stem angular: stipulæ arrow-shaped: fruit-stalks many-flowered.

With. Arr. 629.

Bloss. pale red, and purple.

Diad. Dec.

Sea Pea. Sea shores.

TRIFO'LIUM. See Gen. Ch. p. 140.

- fragiferum. T. Heads roundish: calyx of the fruit reflected: upper lip 2-toothed, inflated: stems creeping.

With. Arr. 654. *Curt.* 2.

Bloss. purple.

Diad. Dec.

Strawberry Trefoil. Moist meadows.

SON'CHUS. See Gen. Ch. p. 256.

S. Fruit-stalks hispid: leaves notched: flowers in bunches. *canaden'sis.*

With. Arr. 674.

Blue Sowthistle. Mountainous pastures. *Syng.Æqua.*

S. Fruit-stalks and calyxes rough with hair, in a sort of umbel: leaves notched, heart-shaped at the base. *arven'sis.*

With. Arr. 674. Curt. 4.

Corn or Tree Sowthistle. Corn-fields, ditch-banks. *Syng.Æqua.*

LACTU'CA. See Gen. Ch. p. 341.

L. Uppermost leaves upright, their midrib prickly on the back. *Scariola.*

With. Arr. 677. E. Bot. 268.

Bloss. yellow.

Prickly or Mild-scented Lettuce. *Syng.Æqua.*

L. Leaves halberd-shaped, sitting: midrib prickly on the back. *saligna.*

With. Arr. 678.

Bloss. yellow.

Syng. Æqua. *Narrow-leaved Lettuce.* Ditch
banks in chalky soil.

HIERACIUM. See Gen. Ch. p.
145.

sylvaticum. H. Stem branched, leafy: root-
leaves egg-shaped, acute, on leaf-
stalks: stem-leaves fitting: fruit-
stalks many-flowered.

With. Arr. 687.

Flowers yellow.

Syng. Æqua. Near Newberry.

villósum. H. Stem branched; leaves rough
with hair: root-leaves egg-shaped,
toothed: stem-leaves heart-
shaped, embracing the stem.

With. Arr. 687.

Flowers large, yellow.

Syng. Æqua. Scotland.

SERRATULA. See Gen. Ch. p.
347.

alpina. S. Calyxes somewhat hairy, egg-
shaped: leaves undivided.

With. Arr. 696.

Flowers terminating, blue.

Mountain Saw-wort. Highest Syng.Æqua.
rock of Snowdon.

CARDUUS. See Gen. Ch. p. 146.

C. Leaves embracing the stem, *marianus*.
halberd-shaped and wing-cleft,
thorny: calyx without any leaves
near it: thorns channelled, and
set with other little thorns.

With. Arr. 700. *Curt.* 3.

Milk Thistle. Ladies Thistle. Syng.Æqua.
Ditch-banks, road-fides.

SANTOLINA. *Recept.* chaffy: *Down*
none: *Calyx* tiled, hemispheri-
cal.

S. Flowers forming a corymbus: *maritima*.
leaves oblong, blunt, scolloped,
very downy.

With. Arr. 707. *E. Bot.* 141.

Bloss. bright yellow.

Sea Cottonweed. Sea shore. Sept. Syng.Æqua.

ARTEMISIA. See Gen. Ch. p.
349.

- maritima. A. Leaves many-cleft, cottony: bunches on crooked fruit-stalks: female florets 3.
With. Arr. 709. Woodv. 122.
Bloss. brown.
 Syng. Super. *Sea Southernwood.* Sea shores.
- Abfinthium. A. Leaves compound, many-cleft: flowers somewhat globular, pendent: receptacle woolly.
With. Arr. 710. Woodv. 120.
Bloss. brownish white.
 Syng. Æqua. Road-fides, rocky places.
- vulgaris. A. Leaves wing-cleft, flat, cut, cottony underneath: bunches simple, bending: florets of the circumference 5.
With. Arr. 710. Woodv. 121.
Bloss. brownish white.
 Syng. Super. *Wormwood Southernwood.* Road-fides, rocky places.
- cœrulescens A. Stem leaves spear-shaped, entire: root-leaves many-cleft: female flowers 3.
With. Arr. 711.

Bluish Southernwood. Sea Syng. Æqua.
shores.

GNAPHA'LIIUM. See Gen. Ch. p.
146.

G. Leaves strap-spear-shaped, tapering, alternate: stem branched towards the top: flowers in a corymbus. *margaritaceum.*

With. Arr. 712.

American Cudweed. Meadows, Syng. Super.
banks of rivers.

G. Stem undivided, upright: leaves spear-shaped, narrowing at the base: flowers in a crowded terminating leafy spike. *sylvaticum.*

With. Arr. 713.

Mountain Cudweed. Syng. Super.

G. Stem upright, terminating in a leafy compound spike: leaves strap-spear-shaped, almost naked on the upper side. *rectum.*

With. Arr. 713. E. Bot. 124.

Bluff. yellowish.

Upright Cudweed. Syng. Super.

uliginósum. G. Stem branched, spreading :
flowers crowded, terminating.
With. Arr. 715.

Bluff. yellowish.

Syng. Super. *Black-headed Cudweed.* Watery
places.

gallicum. G. Stem forked, upright : flowers
awl - shaped, axillary : leaves
thread-shaped.
With. Arr. 715.

Syng. Super. *Grass-leaved Cudweed.* Gravelly
corn-fields.

ERIGERON. See Gen. Ch. p. 352.

canadense. E. Stem and flowers paniced,
rough with hair : leaves spear-
shaped, fringed.
With. Arr. 718.

Syng. Super. *Canada Flea-bane.* Rubbish.
Sept.

SENECIO. See Gen. Ch. p. 9.

viscósus. S. Leaves wing - cleft, clammy :
scales of the calyx loose, as long
as the cup.
With. Arr. 722. E. Bot. 32.

Bluff. yellow.

Clammy Groundsell. Dec. Syng. Super.

Sandy ground, fen-banks.

S. Leaves winged : segments strap-shaped : lower leaves on long leaf-stalks : flowers forming a corymbus : stem upright. *tenuifolius.*

Var. 2. Plant but little cottony : lower leaves fitting : segments broader.

With. Arr. 723. Curt. 5.

Hairy Groundsell. Syng. Super.

Woods, hedges.

S. Leaves sword-shaped, acutely serrated, a little woolly underneath : stem quite straight. *paludifolius.*

With. Arr. 725.

Bluff. yellow.

Birds'-tongue Groundsell. Marshy Syng. Super.
ditches.

ASTER. *Recept.* naked : Down hair-like : radiating florets more than 10 : *Calyx* tiled : the lowermost scales open.

Tripólum. A. Leaves strap - spear - shaped, fleshy, smooth, 3-fibred: calyx scales blunt, somewhat membranaceous.

With. Arr. 726. E. Bot. 87.

Flowers with a sweetish scent.

Syng. Super. *Sea Starwort.* Salt marshes. Sept.

SOLIDAGO. See Gen. Ch. p. 353.

Virga-aúrea. S. Stem serpentine, branched: leaves mostly fitting: flowers in crowded panicles.

Var. 1. stem branched: leaves strongly serrated.

With. Arr. 727. E. Bot. 301.

Bluff. yellow.

Syng. Super. *Common Golden Rod.* Woods, hedges.

Lappónica. S. Stem straight, unbranched: root leaves egg-shaped, on bordered leaf-stalks: stem-leaves spear-shaped, fitting: flowers in a spike-like terminating bunch,

and in the bosom of the upper
leaves.

With. Arr. 728. Syng. Super.

IN'ULA. See Gen. Ch. p. 354.

- I. Leaves embracing the stem, dysentérica,
heart oblong : stem woolly, form-
ing a kind of panicle : scales of
the calyx bristle-shaped.

With. Arr. 731. *Curt.* 3.

Bluff. yellow.

Middle Elecampane. Flea-bane. Syng. Super.

Moist meadows. Oct.

- I. Upper leaves embracing the stem, cylindrica,
strap-spear-shaped, blunt :
stem upright : calyxes cylindri-
cal.

With. Arr. 731. *Curt.* 3.

Bluff. yellow.

Small Flea-bane, or Elecampane. Syng. Super.

Road-sides. Oct.

- I. Leaves strap-shaped, fleshy, ge- crithmoïdes.
nerally 3-pointed.

With. Arr. 732. *E. Bot.* 68.

Bloss. yellow.

Syng. Super. *Golden Samphire.* Salt marshes.

AN'THEMIS. See Gen. Ch. p. 148.

nobilis.

A. Leaves winged compound, strap-shaped, acute, somewhat woolly.

With. Arr. 739. *Woodw.* 103.

Syng. Super. *Common Chamomile.* Boggy pastures. Sept.

CENTAURE'A. See Gen. Ch. p. 263.

foliitialis.

C. Flowers solitary: calyx thorned: branch - leaves decurrent, without thorns, spear-shaped: root-leaves lyre-winged cleft.

With. Arr. 745. *E. Bot.* 243.

Bloss. yellow.

Syng. Fruf. *St. Barnaby's Thistle.* Corn-fields, hedges.

CALEN'DULA. *Recept.* naked: Down none: *Calyx* of many, nearly equal leaves: *Seeds* of the centre mostly membranaceous.

- C. Seeds boat-shaped, prickly, arven'sis.
turned inwards: the innermost
crowded together, the outermost
upright, furnished with a tail.

With. Arr. 746.

Flowers yellow.

Shore at Falmouth.

Oct. Syng. Neceff.

SEPTEMBER.

CALLITRICHE. See Gen. Ch. p. 30.

autumnalis. C. All the leaves strap-shaped, cloven at the end. Flowers hermaphrodite.

With. Arr. 6.

Bloss. yellowish white.

Mo. Di. *Autumnal Star-grass.* Ditches, still waters.

ANGELICA. See Gen. Ch. p. 186.

Archangelica. A. Leaves winged: leaflets unequally serrated, the odd one at the end 3-lobed.

Pen. Di. *With. Arr. 297.*

POLYGONUM. See Gen. Ch. p. 45.

terrestre. P. Stem upright: leaves somewhat pointed, rough: stamens about as long as the blossom.

With. Arr. 379. Curt. 4.

Leaves darker green.

Amphibious Snakeweed. Culti- Oct. Tri.
vated ground.

P. Flowers with slightly cloven minus.
pistils: leaves strap-spear-shaped:
stem creeping at the base.

With. Arr. 380. *Curt.* 1.

Creeping Snakeweed. Moist mea- Oct. Tri.
dows.

AR'BUTUS. See Gen. Ch. p. 103.

A. Stem tree-like: leaves smooth, U'nedo.
bluntly serrated: panicle termi-
nating: berries with many seeds.

With. Arr. 399.

Bloss. greenish white.

Common Strawberry Tree. Barren Dec. Mo.
limestone rocks.

OCTOBER.

HE'DERA. *Petals* 5, oblong: *Berry*
4 or 5-celled, 3 to 5-seeded;
juiceless, encircled by the calyx.

Helix.

H. Leaves, some egg-shaped, others
lobed.

With. Arr. 267. *Curt.* 1.

Bloss. greenish white.

Pen. Mo.

Common Ivy. Woods, hedges,
old buildings.

THE END.

ADDITIONS.

The following references to the *Flora Rustica* (accidentally omitted) the Reader is requested to insert in their proper places.

Crocus vernus	-	Page 5	<i>Fl. Rust.</i>	59
Ranunculus repens	-	7	—	29
———— Ficaria	-	13	—	21
———— bulbosus		119	—	28
Lamium purpurium	-	8	—	25
———— album	- -	8	—	26
Valeriana locusta	- -	34	—	24
Polygonum aviculare	-	45	—	91
Quercus Robur	- -	46	—	10
———— femina	- -	46	—	11, 12
Glecoma Hederacea	-	54	—	61
Cardamine pratensis	-	58	—	95
Veronica chamædrys	-	65	—	66
Galium Aparine	- -	78	—	104
Primula farinosa	- -	86	—	62
Chærophyllum sylvestre		93	—	96

Carum Carui	-	Page 94	<i>Fl. Rust.</i>	55
Linum catharticum	-	97	—	135
Brassica Napus	- -	131	—	103
Sinapis arvensis	- -	132	—	101
Fumaria officinalis	-	135	—	68
Hedysarum Onobrychis		140	—	47
Trifolium repens	- -	141	—	34
— pratenſe	-	142	—	3
— filiforme	-	142	—	94
— procumbens		253	—	121
Medicago lupulina	-	143	—	19
— arabica	- -	143	—	76
Matricaria Chamomilla		148	—	74
Plantago lanceolata	-	167	—	67
Sanguisorba officinalis		168	—	142
Scandix Pecten	- -	189	—	38
Pastinaca fativa	- -	190	—	83
Refeda Luteola	- -	215	—	40
Cineraria palustris	-	261	—	109
Serratula arvensis	- -	347	—	132

ERRATA IN VOL. I.

- Page 11, line 6 from the bottom, after purple,
add *frequently white*.
- 32, in the margin, for *amygdalinia*, read
amygdalina.
- 37, line 2, for *hills*, read *Box-hill, Surry*.
- 43, line 8, for *Curt. 18*, read *Curt. 2*.
- 44, line 16, for *Feaberries*, read *Fen-
berries*.
- 56, in the margin, for *perfoliatam*, read
perfoliatum.
- 97, line 4, after *Curt. 3*. add *E. Bot. 382*.
- 103, line 3 from the bottom, add *Bear-
berries*.
- 150, in the margin, for *omentosa*, read *to-
mentosa*.
- line 8, for *Storewort*, read *Stonewort*.
- 235, in the margin, for *alustris*, read *pa-
lustris*.
- 261, line 8 from the bottom, add *Fl. Rust.*
109.
- 262, line 5, dele *Fl. Rust. 109*.
- 341, Vol. II. in the margin, for *Hicra-
cioides*, read *Hieracioides*.

Page 169, Vol. I. insert,

RUBIA. *Bloss.* 1 petal, bell-shaped :
Berry 2-seeded.

tinctorum. R. Leaves annual : stem prickly.
With. Arr. 193.

Var. 1. *Anglica.* Leaves smooth,
shining, deciduous : blossom
with 5 divisions.

Flowers dirty yellow.

Tet. Mo. *Wild Maddler.* Hedges in De-
vonshire ; wood opposite St.
Vincent's Rocks. July.



Page 210, Vol. I. insert,

SILENE. See Gen. Ch. p. 48.

conoides. S. Petals entire : calyx of the
fruit globular, tapering to a point,
with 30 scores : leaves smooth.

With. Arr. 415.

Flowers dull red.

Dec. Tri. *Common Catchfly.* July.

I N D E X.

<i>Abele-Tree</i>	-	-	-	Page 21
ACER	-	-	-	44
campestre	-	-	-	199
Pseudo-platanus	-	-	-	44
▲ CHILLEA	-	-	-	263
Millefolium	-	-	-	263
Ptarmica	-	-	-	263
ACORUS	-	-	-	100
Calamus	-	-	-	100
ACTÆA	-	-	-	115
spicata	-	-	-	115
ADONIS	-	-	-	118
æstivalis	-	-	-	118
autumnalis	-	-	-	227
<i>Adonis Flower</i>	-	-	-	227
ADOXA	-	-	-	22
Moschatellina	-	-	-	23
ÆGOPODIUM	-	-	-	95
Podagraria	-	-	-	95

INDEX.

ÆTHUSA	-	-	Page 92
Cynapium	-	-	367
Meum	-	-	92
AGRIMONIA	-	-	214
Eupatoria	-	-	214
<i>Agrimony</i>	-	-	215
AJUGA	-	-	54
Chamæpithys	-	-	54
genevenfit	-	-	229
pyramidalis	-	-	229
reptans	-	-	120
AGROSTEMMA	-	-	212
Githago	-	-	212
ALCHEMILLA	-	-	169
alpina	-	-	273
vulgaris	-	-	169
<i>Alder</i>	-	-	11. 40
<i>Alexanders</i>	-	-	94
ALISMA	-	-	195
Damafonium	-	-	195
lanceolata	-	-	196
natans	-	-	300
Plantago	-	-	300
ranunculoides	-	-	195
<i>Allheal</i>	-	-	230. 376

INDEX.

<i>Allseed</i>	-	-	-	-	Page 76
<i>Alkanet</i>	-	-	-	-	83, 84
ALLIUM	-	-	-	-	98
ampeloprasum	-	-	-	-	295
arenarium	-	-	-	-	192
carinatum	-	-	-	-	192
oleraceum	-	-	-	-	295
Schænoprasum	-	-	-	-	192
urfinum	-	-	-	-	98
vineale	-	-	-	-	192
ALTHÆA	-	-	-	-	377
officinalis	-	-	-	-	377
AMARANTHUS	-	-	-	-	358
Blitum	-	-	-	-	359
ANAGALLIS	-	-	-	-	86
arvensis	-	-	-	-	86
tenella	-	-	-	-	275
ANCHUSA	-	-	-	-	84
sempervirens	-	-	-	-	84
ANDROMEDA	-	-	-	-	202
polifolia	-	-	-	-	203
ANGELICA	-	-	-	-	186
sylvestris	-	-	-	-	187
Archangelica	-	-	-	-	390

INDEX.

ANEMONE -	-	-	Page 25.	53
apennina	-	-	-	53
nemorosa	-	-	-	26
Pulsatilla	-	-	-	53
pratensis	-	-	-	53
ranunculoides	-	-	-	118
ANETHUM -	-	-	-	291
Fœniculum	-	-	-	291
<i>Anise</i> -	-	-	-	95
ANTHEMIS -	-	-	-	148
arvensis	-	-	-	262
Cotula	-	-	-	149
maritima	-	-	-	355
nobilis	-	-	-	388
tinctoria	-	-	-	355
ANTHERICUM -	-	-	-	193
calyculatum	-	-	-	194
offifragum	-	-	-	193
ferotinum	-	-	-	193
ANTHOXANTHUM -	-	-	-	73
odoratum	-	-	-	74
ANTHYLLIS -	-	-	-	137
Vulneraria	-	-	-	137
ANTIRRHINUM -	-	-	-	236
arvense	-	-	-	328

INDEX.

Cymbalaria	-	-	-	236
Elatine	-	-	-	377
Linaria	-	-	-	328
majus	-	-	-	237
minus	-	-	-	236
monspessulanum	-	-	-	328
Orontium	-	-	-	329
Peloria	-	-	-	236
repens	-	-	-	328
spurium	-	-	-	327
APHANES	-	-	-	63
arvensis	-	-	-	63
APIUM	-	-	-	368
graveolens	-	-	-	368
AQUILEGIA	-	-	-	117
vulgaris	-	-	-	117
ARABIS	-	-	-	129
stricta	-	-	-	129
thaliana	-	-	-	129
Turrita	-	-	-	130
ARBUTUS	-	-	-	103
alpina	-	-	-	103
Unedo	-	-	-	391
Uva-ursi	-	-	-	103

INDEX.

<i>Archangel</i>	-	-	Page 8.	121
ARENARIA	-	-	-	104
juniperina	-	-	-	209
laricifolia	-	-	-	309
marina	-	-	-	105
media	-	-	-	209
peploides	-	-	-	208
rubra	-	-	-	209
serpyllifolia	-	-	-	104
tenuifolia	-	-	-	209
trinervia	-	-	-	104
verna	-	-	-	105
ARCTIUM	-	-	-	346
Lappa	-	-	-	346
<i>Argentine</i>	-	-	-	348
ARISTOLOCHIA	-	-	-	299
Clematitis	-	-	-	299
<i>Arrow-grass</i>	-	-	- 102.	299
<i>Arrow-head</i>	-	-	-	319
<i>Arsmart</i>	-	-	- 199.	303
ARTEMISIA	-	-	-	349
Absinthium	-	-	-	382
campestris	-	-	-	350
cærulescens	-	-	-	382

INDEX.

maritima	-	-	-	Page 382
vulgaris	-	-	-	382
ARUM	-	-	-	117
maculatum	-	-	-	117
<i>Asarabacca</i>	-	-	-	108
ASARUM	-	-	-	108
europæum	-	-	-	108
<i>Ash-Tree</i>	-	-	-	17
<i>Asp</i>	-	-	-	22
ASPARAGUS	-	-	-	296
officinalis	-	-	-	296
<i>Aspen-Tree</i>	-	-	-	22
ASPERUGO	-	-	-	38
procumbens	-	-	-	38
ASPERULA	-	-	-	77
cynanchica	-	-	-	163
odorata	-	-	-	77
<i>Asphodel</i>	-	-	-	295. 299
ASTER	-	-	-	385
Tripolium	-	-	-	386
ASTRAGALUS	-	-	-	250
glycyphyllos	-	-	-	251
hypoglottis	-	-	-	251
uralensis	-	-	-	337

INDEX.

ATHAMANTA	-	-	-	Page 366
Libanotis	-	-	-	366
ATRIPLEX	-	-	-	283
hastata	-	-	-	363
laciniata	-	-	-	284
littoralis	-	-	-	363
patula	-	-	-	363
pedunculata	-	-	-	284
portulacoides	-	-	-	283
ATROPA	-	-	-	179
Belladonna	-	-	-	179
<i>Avens</i>	-	-	-	114, 115
<i>Awkwort</i>	-	-	-	239
AZALEA	-	-	-	276
procumbens	-	-	-	275
BALLOTA	-	-	-	323
nigra	-	-	-	323
Bane-berries	-	-	-	115
Barberry	-	-	-	101
BARTSIA	-	-	-	325
alpina	-	-	-	325
Odontites	-	-	-	326
viscosa	-	-	-	325
Basil	-	-	-	233. 324

INDEX.

<i>Bastard Crefs</i>	-	-	-	124
<i>Bastard Parsley</i>	-	-	-	91
<i>Bachelors' Buttons</i>	-	-	-	264
<i>Baum</i>	-	-	-	233. 376
<i>Barwd-money</i>	-	-	-	92
<i>Bear-berries</i>	-	-	-	103
<i>Bear's-foot</i>	-	-	-	4, 169
<i>Beech-Tree</i>	-	-	-	25
<i>Beet</i>	-	-	-	284
<i>Bell-flower</i>	-	87.	277, 278.	360
BELLIS	-	-	-	29
perennnis	-	-	-	29
BERBERIS	-	-	-	101
vulgaris	-	-	-	101
BETA	-	-	-	284
maritima	-	-	-	284
<i>Bethlem-star</i>	-	-	42.	193
BETONICA	-	-	-	322
officinalis	-	-	-	322
<i>Betony</i>	-	-	-	323
BETULA	-	-	-	11
alba	-	-	-	36
alnus	-	-	-	11
nana	-	-	-	79

INDEX.

BIDENS	-	-	-	Page 348
cernua	-	-	-	349
tripartita	-	-	-	349
Bilberries	-	-	-	43
Bindweed	-	-	176. 200.	276
Birds'-cherry	-	-	-	110
Birds'-foot	-	-	-	140
Birds'-nest	-	-	184.	202
Birch-Tree	-	-	-	36
Birk	-	-	-	36
Bistort	-	-	-	102. 200
Bitter-creffes	-	-	-	58
Bitter-sweet	-	-	-	179
Black-berried Heath	-	-	-	36
Black-berry	-	-	-	219
Black-thorn	-	-	-	25
Bladder nut-Tree	-	-	-	191
Bladder-snout	-	-	-	267
Blite	-	-	-	283
Blue-bottle	-	-	-	264
Borage	-	-	-	172
BORAGO	-	-	-	172
officinalis	-	-	-	172
Box	-	-	-	36

INDEX.

<i>Bramble</i>	-	-	-	Page 112. 219
<i>Brank</i>	-	-	-	" 303
BRASSICA	-	-	-	131
<i>campestris</i>	-	-	-	243
<i>monensis</i>	-	-	-	132
<i>muralis</i>	-	-	-	131
<i>Napus</i>	-	-	-	131
<i>oleracea</i>	-	-	-	131
<i>orientalis</i>	-	-	-	243
<i>Breakstone</i>	-	-	-	171
<i>Brooklime</i>	-	-	-	153
<i>Broom</i>	-	-	-	136
<i>Broomrape</i>	-	-	-	122. 237
<i>Bruisewort</i>	-	-	-	306
BRYONIA	-	-	-	74
<i>dioica</i>	-	-	-	75
<i>Bryony</i>	-	-	-	75
<i>Buckbean</i>	-	-	-	275
<i>Buckthorn</i>	-	-	-	17. 40
<i>Buckwheat</i>	-	-	-	303
BUFFONIA	-	-	-	79
<i>tenuifolia</i>	-	-	-	79
<i>Bugle</i>	-	-	-	120
<i>Bugloss</i>	-	-	-	172. 275

INDEX.

<i>Bugloss-cowslips</i>	- - -	Page 83
<i>Bullace</i>	- - -	50
BUNIAS	- - -	237
Cakile	- - -	238
BUNIAM	- - -	92
Bulbecastanum	- -	184
flexuosum	- - -	92
BUPLEURUM	- - -	182
rotundifolium	- - -	182
tenuissimum	- - -	286
Burnet	- - -	52. 168
Burnet Saxifrage	- - -	368
Burdock	- - -	182. 346
Butcher's-broom	- - -	10
BUTOMUS	- - -	201
umbellatus	- - -	201
Butter and Eggs	- - -	329
Butter-bur	- - -	28
Butter-cups	- - -	120
Butter-flower	- - -	228
Butter-jags	- - -	338
Butterwort	- - -	66
BUXUS	- - -	36
sempervirens	- - -	36

INDEX.

<i>Cabbage</i>	-	-	Page 131, 132.	243
<i>Calamint</i>	-	-	-	233
<i>Calathian Violet</i>	-	-	-	365
CALENDULA	-	-	-	388
<i>arvensis</i>	-	-	-	389
<i>Calf's-foot</i>	-	-	-	379
CALLITRICHE	-	-	-	30
<i>autumnalis</i>	-	-	-	390
<i>verna</i>	-	-	-	30
CALTHA	-	-	-	26
<i>palustris</i>	-	-	-	26
<i>Caltrops</i>	-	-	-	81
<i>Camline</i>	-	-	123.	263
<i>Cammock</i>	-	-	-	334
CAMPANULA	-	-	-	87
<i>glomerata</i>	-	-	-	278
<i>hederacea</i>	-	-	-	87
<i>hybrida</i>	-	-	-	176
<i>latifolia</i>	-	-	-	277
<i>patula</i>	-	-	-	277
<i>Rapunculus</i>	-	-	-	277
<i>rotundifolia</i>	-	-	-	360
<i>Trachelium</i>	-	-	-	277
<i>Campion</i>	-	-	49. 107. 213.	308

INDEX.

<i>Candy-tuft</i>	-	-	Page 126.	241
<i>Canterbury Bells</i>	-	-	-	278
<i>Caraway</i>	-	-	-	94
CARDAMINE	-	-	-	28
<i>amara</i>	-	-	-	58
<i>bellidifolia</i>	-	-	-	126
<i>flexuosa</i>	-	-	-	127
<i>hirsuta</i>	-	-	-	28
<i>impatiens</i>	-	-	-	126
<i>petræa</i>	-	-	-	126
<i>pratensis</i>	-	-	-	58
<i>Cardinal flower</i>	-	-	-	279
CARDUUS	-	-	-	146
<i>Aconthoides</i>	-	-	-	258
<i>acaulis</i>	-	-	-	348
<i>eriophorus</i>	-	-	-	348
<i>helenioides</i>	-	-	-	260
<i>lanceolatus</i>	-	-	-	259
<i>marianus</i>	-	-	-	381
<i>nutans</i>	-	-	-	259
<i>palustris</i>	-	-	-	259
<i>pratensis</i>	-	-	-	146
<i>tenuiflorus</i>	-	-	-	347
CARLINA	-	-	-	260

INDEX.

vulgaris -	-	-	Page 260
<i>Carlina Thistle</i>	-	-	260
CARPINUS -	-	-	108
Betulus -	-	-	108
CARUM -	-	-	94
Carui -	-	-	94
Carrot -	-	-	184. 287
<i>Catchfly</i>	49. 104. 107. 206, 207.		308
<i>Catchweed</i>	-	-	38. 78
<i>Cat Mint</i>	-	-	320
<i>Cat's-ear</i>	-	-	258. 346
<i>Cat's-foot</i>	-	-	54. 147
<i>Cat's-milk</i>	-	-	313
CAUCALIS -	-	-	91
Anthriscus -	-	-	356
arvensis -	-	-	287
daucoides -	-	-	91
latifolia -	-	-	287
leptophylla -	-	-	286
nodosa -	-	-	183
scandicina -	-	-	91
<i>Celandine</i>	-	13. 115.	315
CENTAUREA -	-	-	263
Calcitrapa -	-	-	356

INDEX.

Cyanus	-	-	-	Page 264
nigra	-	-	-	355
Scabiofa	-	-	-	356
foliitialis	-	-	-	388
<i>Centory</i>	-	-	-	180. 271
CENTUNCULUS	-	-	-	168
minimus	-	-	-	168
CERASTIUM	-	-	-	12
alpinum	-	-	-	310
aquaticum	-	-	-	310
arvense	-	-	-	107
latifolium	-	-	-	213
pumilum	-	-	-	12
semidecandrum	-	-	-	49
tomentosum	-	-	-	213
viscosum	-	-	-	49
vulgatum	-	-	-	107
CERATOPHYLLUM	-	-	-	372
demersum	-	-	-	372
submersum	-	-	-	373
CHÆROPHYLLUM	-	-	-	93
sylvestre	-	-	-	93
tenuolum	-	-	-	291
<i>Chadlock</i>	-	-	-	132

INDEX.

<i>Chamomile</i>	-	-	-	-	Page 355. 388
CHARA	-	-	-	-	150
flexilis	-	-	-	-	150
hispida	-	-	-	-	150
tomentosa	-	-	-	-	150
vulgaris	-	-	-	-	265
Charlock	-	-	-	-	132
Cheese-rewing	-	-	-	-	165
CHEIRANTHUS	-	-	-	-	128
Cheiri	-	-	-	-	128
sinuatus	-	-	-	-	242
CHERLERIA	-	-	-	-	309
fedoides	-	-	-	-	309
CHELIDONIUM	-	-	-	-	115
corniculatum	-	-	-	-	315
Glaucium	-	-	-	-	314
hybridum	-	-	-	-	115
majus	-	-	-	-	115
CHENOPODIUM	-	-	-	-	89
album	-	-	-	-	361
Bonus Henricus	-	-	-	-	90
glaucum	-	-	-	-	362
hybridum	-	-	-	-	362
maritimum	-	-	-	-	363

INDEX.

murale	-	-	Page 283
olidum	-	-	362
polyspermum	-	-	283
rubrum	-	-	361
urbicum	-	-	361
viride	-	-	362
<i>Chequered Daffodil</i>	-	-	41
<i>Cherry-Tree</i>	-	-	50. 110
<i>Chervil</i>	-	-	93. 291
<i>Chestnut-Tree</i>	-	-	109
<i>Chickweed</i>	24. 75. 79. 105. 171.		206
CHIRONIA	-	-	180
Centaurium	-	-	180
pulchella	-	-	361
CHLORA	-	-	197
perfoliata	-	-	197
CHRYSANTHEMUM	-	-	261
inodorum	-	-	354
Leucanthemum	-	-	262
segetum	-	-	262
CHRYSOPLENIUM	-	-	23
alternifolium	-	-	23
oppositifolium	-	-	23
<i>Cicely</i>	-	-	93. 189

INDEX.

CICHORIUM	-	-	-	Page 346
Intybus	-	-	-	346
CICUTA	-	-	-	290
virosa	-	-	-	290
CINERARIA	-	-	-	147
integrifolia	-	-	-	147
palustris	-	-	-	261
<i>Cinquefoil</i>	-	-	52. 220. 222.	314
CIRCÆA	-	-	-	151
alpina	-	-	-	265
lutetiana	-	-	-	151
CISTUS	-	-	-	116
anglicus	-	-	-	116
guttatus	-	-	-	224
Helianthemum	-	-	-	116
polifolius	-	-	-	316
falicifolius	-	-	-	224
furrejanus	-	-	-	316
<i>Cistus</i>	-	-	116. 203. 224.	316
<i>Clary</i>	-	-	-	154
<i>Cleavers</i>	-	-	-	78
CLEMATIS	-	-	-	317
Vitalba	-	-	-	317
<i>Cliff-Kale</i>	-	-	-	123

INDEX.

CLINOPODIUM	-	-	-	Page 324
vulgare	-	-	-	324
Clotweed	-	-	-	182
Cloudberry	-	-	-	113
Claver	-	-	-	143
Clover	-	-	-	254
Cluster-cherry	-	-	-	110
COCHLEARIA	-	-	-	57
anglica	-	-	-	125
Armoracia	-	-	-	125
Coronopus	-	-	-	240
danica	-	-	-	125
groenlandica	-	-	-	125
officinalis	-	-	-	57
Cockle	-	-	-	112
Cockshead	-	-	-	140. 337
Coddled Mouse-ear	-	-	-	129
Codlings and Cream	-	-	-	301
COLCHICUM	-	-	-	370
autumnale	-	-	-	370
Colewort	-	-	-	123
Colt's-foot	-	-	-	15. 28. 62
Columbines	-	-	-	117
COMARUM	-	-	-	221

INDEX.

palustre	-	-	-	Page 222
<i>Comfrey</i>	-	-	-	85
CONIUM	-	-	-	185
maculatum	-	-	-	185
CONVALLARIA	-	-	-	99
majalis	-	-	-	99
multiflora	-	-	-	100
Polygonatum	-	-	-	99
verticillata	-	-	-	296
CONVOLVULUS	-	-	-	175
arvensis	-	-	-	175
sepium	-	-	-	276
Soldanella	-	-	-	276
CONYZA	-	-	-	351
squarrofa	-	-	-	351
<i>Coralwort</i>	-	-	-	57
<i>Coriander</i>	-	-	-	189
CORIANDRUM	-	-	-	189
fativum	-	-	-	189
<i>Corn-parsley</i>	-	-	-	289
<i>Corn-sallad</i>	-	-	-	35
CORNUS	-	-	-	168
sanguinea	-	-	-	169
suecia	-	-	-	169

E c

INDEX.

CORRIGIOLA	-	-	Page 191
littoralis	-	-	191
CORYLUS	-	-	7
Avellana	-	-	7
<i>Cotton-grass</i>	-	-	10. 75. 161
<i>Cotton-weed</i>	-	-	381
COTYLEDON	-	-	210
lutea	-	-	210
Umbilicus	-	-	210
<i>Cow-parsley</i>	-	-	93
<i>Cow-parsnep</i>	-	-	185
<i>Cowslip</i>	-	-	39
<i>Cow-wheat</i>	-	-	235. 327
<i>Co. comb</i>	-	-	234
<i>Crab-Tree</i>	-	-	112
<i>Crake-berries</i>	-	-	36
<i>Crake-needle</i>	-	-	189
CRAMBE	-	-	123
maritima	-	-	123
<i>Crab-berries</i>	-	-	44
<i>Crane's-bill</i>	59, 60. 133, 134. 245,		
	246. 332, 333		
CRATÆGUS	-	-	50
Aria	-	-	111

INDEX.

<i>Oxyacantha</i>	-	-	Page 50
<i>torminalis</i>	-	-	111
<i>Crosswort</i>	-	-	77
<i>CREPIS</i>	-	-	257
<i>biennis</i>	-	-	345
<i>foetida</i>	-	-	257
<i>tectorum</i>	-	-	257
<i>CRITHMUM</i>	-	-	367
<i>maritimum</i>	-	-	367
<i>CROCUS</i>	-	-	5
<i>sativus</i>	-	-	358
<i>vernus</i>	-	-	5
<i>Crow-berries</i>	-	-	36
<i>Crowfoot</i>	-	8. 54. 119. 228.	318
<i>Crow-garlic</i>	-	-	192
<i>Cuckow-bread</i>	-	-	106
<i>Cuckow-flower</i>	-	-	107
<i>Cuckow-pint</i>	-	-	118
<i>CUCUBALUS</i>	-	-	205
<i>bacciferus</i>	-	-	205
<i>Behen</i>	-	-	206
<i>Otites</i>	-	-	308
<i>Cudweed</i>	-	147. 350, 351. 383, 384	
<i>Currants</i>	-	-	89

INDEX

CUSCUTA	-	-	-	Page 273
Epithymum	-	-	-	273
europæa	-	-	-	273
CYCLAMEN	-	-	-	39
europæum	-	-	-	39
CYNOGLOSSUM	-	-	-	84
officinale	-	-	-	171
sylvaticum	-	-	-	84
<i>Cyphel</i>	-	-	-	309. 313
CYPRIPEDIUM	-	-	-	268
calceolus	-	-	-	268
<i>Daffodil</i>	-	-	-	12. 98
<i>Daisy</i>	-	-	-	29
<i>Damewort</i>	-	-	-	129
<i>Dandelion</i>	-	-	-	9. 144. 342
DAPHNE	-	-	-	3
Laureola	-	-	-	22
Mezereum	-	-	-	3
DATURA	-	-	-	281
Stramonium	-	-	-	281
DAUCUS	-	-	-	183
Carota	-	-	-	184
maritimus	-	-	-	287

INDEX.

<i>Dead-nettle</i>	-	Page 8. 55.	121
<i>Dead-tongue</i>	-	-	188
DELPHINIUM	-	-	225
<i>Consolida</i>	-	-	225
DENTARIA	-	-	57
<i>bulbifera</i>	-	-	57
<i>Devil's-bit</i>	-	-	163. 342
<i>Dewberry</i>	-	-	219
DIANTHUS	-	-	205
<i>Armeria</i>	-	-	306
<i>barbatus</i>	-	-	205
<i>cæsius</i>	-	-	307
<i>Caryophyllus</i>	-	-	205
<i>deltoides</i>	-	-	307
<i>prolifer</i>	-	-	307
DIGITALIS	-	-	121
<i>purpurea</i>	-	-	121
DIPSACUS	-	-	162
<i>fullonum</i>	-	-	162
<i>pilosus</i>	-	-	359
<i>fylvestris</i>	-	-	162
<i>Dittander</i>	-	-	28. 239
<i>Dock</i>	-	-	101. 298. 370
<i>Dodder</i>	-	-	273

INDEX.

<i>Dogberry-Tree</i>	-	-	Page 169.
<i>Dog's Mercury</i>	-	-	46
DORONICUM	-	-	147
<i>Pardalianches</i>	-	-	148
<i>Double-tooth</i>	-	-	349
DRABA	-	-	27
<i>incana</i>	-	-	124
<i>muralis</i>	-	-	124
<i>stellata</i>	-	-	123
<i>verna</i>	-	-	27
<i>Dropwort</i>	-	-	188. 216. 290
DROSERA	-	-	293
<i>anglica</i>	-	-	294
<i>longifolia</i>	-	-	294
<i>rotundifolia</i>	-	-	294
DRYAS	-	-	114
<i>octopetala</i>	-	-	114
<i>Duckmeat</i>	-	-	72. 159. 269
<i>Dutch clover</i>	-	-	141
<i>Dutch-myrtle</i>	-	-	80
<i>Dwarf Elder</i>	-	-	292
<i>Dyer's-weed</i>	-	-	215

INDEX.

<i>Earth-nut</i>	-	-	Page 92.	184
ECHINOPHORA	-	-	-	286
<i>spinosa</i>	-	-	-	286
ECHIUM	-	-	-	173
<i>italicum</i>	-	-	-	173
<i>violaceum</i>	-	-	-	360
<i>vulgare</i>	-	-	-	173
ELATINE	-	-	-	371
<i>Alfinastrum</i>	-	-	-	371
<i>Elder</i>	-	-	-	20
<i>Elecampane</i>	-	-	354.	387
<i>Elm</i>	-	-	-	19
EMPETRUM	-	-	-	35
<i>nigrum</i>	-	-	-	35
<i>Enchanter's Nightshade</i>	-	152.	-	265
<i>Enchanter's Wort</i>	-	-	-	265
<i>Endive</i>	-	-	-	346
EPILOBIUM	-	-	-	196
<i>alpinum</i>	-	-	-	302
<i>angustifolium</i>	-	-	-	196
<i>hirsutum</i>	-	-	-	300
<i>montanum</i>	-	-	-	197
<i>palustre</i>	-	-	-	301
<i>parviflorum</i>	-	-	-	301

INDEX.

teragonum	-	-	Page 301
EPIMEDIUM	-	-	167
alpinum	-	-	168
ERICA	-	-	197
cinerea	-	-	198
Daboecia	-	-	198
Tetralix	-	-	302
vagans	-	-	198
vulgaris	-	-	198
ERIGERON	-	-	352
acre	-	-	352
alpinum	-	-	352
canadense	-	-	384
ERIOCAULON	-	-	272
septangulare	-	-	272
ERIOPHORUM	-	-	10
alpinum	-	-	162
angustifolium	-	-	161
polystachion	-	-	75
vaginatum	-	-	10
ERVUM	-	-	250
hirsutum	-	-	250
tetraspermum	-	-	250
ERYNGIUM	-	-	285

INDEX.

campestre	-	-	-	Page 285
maritimum	-	-	-	285
<i>Eryngo</i>	-	-	-	285
ERYSIMUM	-	-	-	58
Alliaria	-	-	-	59
Barbarea	-	-	-	58
cheiranthoides	-	-	-	331
officinale	-	-	-	127
EUPATORIUM	-	-	-	349
cannabinum	-	-	-	349
EUPHORBIA	-	-	-	109
amygdaloides	-	-	-	109
Characias	-	-	-	216
Cyparissias	-	-	-	110
exigua	-	-	-	312
helioscopia	-	-	-	312
hyberna	-	-	-	373
Paralias	-	-	-	109
Peplus	-	-	-	312
platyphyllos	-	-	-	215
portlandica	-	-	-	109
striata	-	-	-	373
EUPHRASIA	-	-	-	326
Odontites	-	-	-	326

INDEX.

<i>officinalis</i>	-	-	-	326
<i>Everlasting</i>	-	-	-	350
<i>EUONYMUS</i>	-	-	-	88
<i>europæus</i>	-	-	-	88
<i>Eyebright</i>	-	-	-	326
<i>EXACUM</i>	-	-	-	271
<i>filiforme</i>	-	-	-	371
<i>FAGUS</i>	-	-	-	24
<i>Castanea</i>	-	-	-	109
<i>sylvatica</i>	-	-	-	25
<i>Fair Maids of February</i>	-	-	-	2
<i>Fat Hen</i>	-	-	-	363
<i>Feaberry</i>	-	-	-	41
<i>Fenberries</i>	-	-	-	44
<i>Fennel</i>	-	-	-	30. 291
<i>Feverfew</i>	-	-	148. 262. 355	
<i>Fiddle-dock</i>	-	-	-	298
<i>Figwort</i>	-	-	56. 121. 330	
<i>Flag</i>	-	-	-	161
<i>Flax</i>	-	97. 191, 192. 293.	369	
<i>Fleabane</i>	-	-	352. 384. 387	
<i>Fleawort</i>	-	-	147. 261	
<i>Flix-weed</i>	-	-	-	332

INDEX.

<i>Flower-de-luce</i>	-	Page 161.	269
<i>Flowering Rush</i>	-	-	201
<i>Fluellin</i>	-	-	377
<i>Fool's Parsley</i>	-	-	368
<i>Fool's Stones</i>	-	-	30
<i>Foxglove</i>	-	-	122
FRAGARIA	-	-	13
<i>sterilis</i>	-	-	13
<i>vesca</i>	-	-	114
FRANKENIA	-	-	296
<i>lævis</i>	-	-	297
<i>pulverulenta</i>	-	-	297
<i>Frankwort</i>	-	-	297
FRAXINUS	-	-	16
<i>excelsior</i>	-	-	16
<i>French Mercury</i>	-	-	372
<i>Fresh-water Soldier</i>	-	-	225
<i>Friar's Crown</i>	-	-	348
FRITILLARIA	-	-	41
<i>Meleagris</i>	-	-	41
<i>Fritillary</i>	-	-	41
<i>Frogbit</i>	-	-	201
<i>Frog's Lettuce</i>	-	-	81
FUMARIA	-	-	60

INDEX.

capnoides	-	-	Page 61
capreolata	-	-	378
claviculata	-	-	248
intermedia	-	-	60
officinalis	-	-	135
<i>Fumitory</i>	-	61. 135. 248.	378
<i>Furze</i>	-	-	5
GALANTHUS	-	-	2
nivalis	-	-	2
<i>Gale</i>	-	-	80
GALEOBDOLEON	-	-	120
luteum	-	-	121
GALEOPSIS	-	-	230
cannabina	-	-	322
grandiflora	-	-	321
Ladanum	-	-	230
Tetrahit	-	-	321
versicolor	-	-	322
GALIUM	-	-	77
anglicum	-	-	165
Aparine	-	-	78
boreale	-	-	271
cruciatum	-	-	77

INDEX.

erectum	-	-	Page 164
mollugo	-	-	164
montanum	-	-	269
palustre	-	-	165
procumbens	-	-	270
pufillum	-	-	270
scabrum	-	-	359
spurium	-	-	164
tricorne	-	-	359
uliginosum	-	-	270
verum	-	-	165
<i>Garlic</i>	-	-	192, 193. 295
GENISTA	-	-	136
anglica	-	-	137
pilosa	-	-	137
tinctoria	-	-	248
<i>Gentle Thistle</i>	-	-	146
<i>Gentian</i>	-	-	95. 271. 365
GENTIANA	-	-	95
Amarella	-	-	365
campestris	-	-	365
collina	-	-	95
nivalis	-	-	365
Pneumonanthe	-	-	364

INDEX.

GERANIUM	-	-	-	59
cicutarium	-	-	-	60
columbinum	-	-	-	245
dissectum	-	-	-	133
lancastrienſe	-	-	-	332
lucidum	-	-	-	246
malvæfolium	-	-	-	245
maritimum	-	-	-	246
molle	-	-	-	59
moſchatum	-	-	-	134
nodofum	-	-	-	333
phæum	-	-	-	133
pratense	-	-	-	246
pyrenaicum	-	-	-	245
robertianum	-	-	-	59
rotundifolium	-	-	-	134
sanguineum	-	-	-	332
fylvaticum	-	-	-	245
Germander	-	5. 66.	231.	319
GEUM	-	-	-	114
rivale	-	-	-	221
urbanum	-	-	-	114
Gill	-	-	-	54
Gilliflower	-	-	-	242

INDEX.

<i>Gladdon</i>	-	-	Page 161
<i>Gladiole</i>	-	-	201. 279
<i>Glasswort</i>	-	-	285. 357. 363
GLAUX	-	-	180
<i>maritima</i>	-	-	181
GLAUCIUM	-	-	315
<i>corniculatum</i>	-	-	315
GLECOMA	-	-	54
<i>hederacea</i>	-	-	54
<i>Globe-flower</i>	-	-	120
GNAPHALIUM	-	-	146
<i>arvense</i>	-	-	351
<i>dioicum</i>	-	-	147
<i>gallicum</i>	-	-	384
<i>germanicum</i>	-	-	351
<i>luteo-album</i>	-	-	350
<i>margaritaceum</i>	-	-	383
<i>montanum</i>	-	-	351
<i>rectum</i>	-	-	383
<i>supinum</i>	-	-	350
<i>fylvaticum</i>	-	-	383
<i>uliginosum</i>	-	-	384
<i>Goat's-beard</i>	-	-	144. 255
<i>Goldenrod</i>	-	-	354. 386
<i>Goldilocks</i>	-	-	54

INDEX.

<i>Goldins</i>	-	-	Page 354
<i>Gold of Pleasure</i>	-	-	123
<i>Good King Henry</i>	-	-	90
<i>Gooseberry</i>	-	-	41
<i>Goosefoot</i>	-	-	283. 361, 362
<i>Goose-grass</i>	78. 164, 165. 270.		359
<i>Goose-tongue</i>	-	-	263
<i>Gorze</i>	-	-	5
<i>Grass of Parnassus</i>	-	-	369
<i>Grass-wrack</i>	-	-	226
<i>Graymill</i>	-	-	83
<i>Greeds</i>	-	-	159
<i>Greenweed</i>	-	-	248
<i>Gromill</i>	-	-	83
<i>Gromwell</i>	-	-	37
<i>Ground ash</i>	-	-	95
<i>Ground-ivy</i>	-	-	54
<i>Ground-pine</i>	-	-	54
<i>Groundsel</i>	-	-	9. 353. 385
<i>Guelder-rose</i>	-	-	96
<i>Gypsy-wort</i>	-	-	267
 <i>Harebell</i>	 -	 -	 43
<i>Haresfoot trefoil</i>	-	-	338

INDEX.

<i>Hareftail Ruff</i>	- - -	Page 10
<i>Hartshorn</i>	- - -	167
<i>Hartwort</i>	- - -	183
<i>Hasel-nut</i>	- - -	7
<i>Hawksbeard</i>	- - -	257
<i>Hawksweed</i>	146. 257. 343, 344, 345	
<i>Hawthorn</i>	- - -	50
<i>Heartfeafe</i>	- - -	6
<i>Heath</i>	- - -	198, 199. 302
<i>HEDERA</i>	- - -	392
<i>Helix</i>	- - -	392
<i>Hedge Muftard</i>	- - -	128
<i>HEDYSARUM</i>	- - -	140
<i>Onobrychis</i>	- - -	140
<i>Hellebore</i>	- - -	4
<i>Helleborine</i>	- 71. 158. 268. 358	
<i>HELLEBORUS</i>	- - -	3
<i>foetidus</i>	- - -	4
<i>viridis</i>	- - -	4
<i>Hemlock</i>	- - -	185. 188
<i>Hemp Agrimony</i>	- - -	349
<i>Henbane</i>	- - -	178
<i>Henbit</i>	- - -	14. 16. 323
<i>Hen's-foot</i>	- - -	183. 287. 366

INDEX.

<i>Hep-Tree</i>	-	-	Page 218
HERACLEUM	-	-	184
Sphondylium	-	-	185
<i>Herb-Bennet</i>	-	-	115
<i>Herb-Christopher</i>	-	-	115
<i>Herb-Gerard</i>	-	-	95
<i>Herb-Paris</i>	-	-	102
<i>Herb-Robert</i>	-	-	60
<i>Herb-Twopence</i>	-	-	175
HERNIARIA	-	-	282
glabra	-	-	282
hirsuta	-	-	282
HESPERIS	-	-	128
inodora	-	-	129
HIERACIUM	-	-	145
alpinum	-	-	343
Auricula	-	-	344
dubium	-	-	343
molle	-	-	344
murorum	-	-	344
paludosum	-	-	343
Pilosella	-	-	145
prenanthoides	-	-	257
subaudum	-	-	344

INDEX.

<i>sylvaticum</i>	-	-	Page 380
<i>Taraxaci</i>	-	-	343
<i>umbellatum</i>	-	-	345
<i>villosum</i>	-	-	380
HIPPOCREPIS	-	-	140
<i>comosa</i>	-	-	140
HIPPOPHAE	-	-	17
<i>Rhamnoides</i>	-	-	17
HIPPURIS	-	-	63
<i>vulgaris</i>	-	-	63
<i>Hog's-fennel</i>	-	-	186
<i>Holly</i>	-	-	80
HOLOSTEUM	-	-	35
<i>umbellatum</i>	-	-	35
<i>Honewort</i>	-	-	367
<i>Honeysuckle</i>	-	-	6. 87
<i>— dwarf</i>	-	-	169
<i>Hops</i>	-	-	181
<i>Hop Trefoil</i>	-	-	142
<i>Horehound</i>	-	-	232. 267. 323
<i>Hornbeam-Tree</i>	-	-	108
<i>Horned Poppy</i>	-	-	315
<i>Hornweed</i>	-	-	373
<i>Horse-bane</i>	-	-	188

INDEX.

<i>Horse-radish</i>	-	-	Page 125
<i>Horse-shoe Vetch</i>	-	-	140
HOTTONIA	-	-	174
palustris	-	-	174
<i>Hound's-tongue</i>	-	-	84. 171
<i>House-leek</i>	-	-	313
HUMULUS	-	-	181
lupulus	-	-	181
<i>Hurtle-berries</i>	-	-	43
<i>Hyacinth</i>	-	-	43
HYACINTHUS	-	-	43
non-scriptus	-	-	43
HYDROCHARIS	-	-	201
Morsus-Ranæ	-	-	201
HYDROCOTYLE	-	-	90
vulgaris	-	-	90
HYOSCYAMUS	-	-	178
niger	-	-	178
HYOSERIS	-	-	145
minima	-	-	145
HYPERICUM	-	-	254
Androsæmum	-	-	338
dubium	-	-	339
elodes	-	-	340

INDEX.

hirfutum	-	-	-	Page 254
humifutum	-	-	-	339
montanum	-	-	-	340
perforatum	-	-	-	255
pulchrum	-	-	-	255
quadrangulum	-	-	-	339
HYPOCHÆRIS	-	-	-	146
glabra	-	-	-	258
maculata	-	-	-	346
radicata	-	-	-	146
<i>Jack-by-the-hedge</i>	-	-	-	59
<i>Jacob's Ladder</i>	-	-	-	176
JASIONE	-	-	-	177
montana	-	-	-	177
IBERIS	-	-	-	125
amara	-	-	-	241
nudicaulis	-	-	-	126
ILEX	-	-	-	80
Aquifolium	-	-	-	80
ILLECEBRUM	-	-	-	281
verticillatum	-	-	-	282
IMPATIENS	-	-	-	281
Noli-tangere	-	-	-	281

INDEX.

IMPERATORIA	-	-	Page 190
Ostruthium	-	-	190
INULA	-	-	354
crithmoides	-	-	387
cylindrica	-	-	387
dysenterica	-	-	387
Helenium	-	-	354
IRIS	-	-	160
foetida	-	-	160
psuedacorus	-	-	161
Xiphium	-	-	269
ISATIS	-	-	238
tinctoria	-	-	238
<i>Juniper-Tree</i>	-	-	133
JUNIPERUS	-	-	132
communis	-	-	133
<i>Ivy</i>	-	-	392
<i>Ivy-leaf</i>	-	-	342
<i>Kale</i>	-	-	123
<i>Kernelwort</i>	-	-	121
<i>Kex</i>	-	-	185
<i>Kidney-vetch</i>	-	-	137
<i>Kidney-wort</i>	-	-	204. 210

INDEX.

<i>Knapweed</i>	-	-	-	Page 356
<i>Knarwell</i>	-	-	-	305
<i>Knee-holly</i>	-	-	-	10
<i>Knopweed</i>	-	-	-	356
<i>Knot-grass</i>	-	-	-	45. 282
<i>Ladies Bedstraw</i>	-	-	-	164, 165
<i>Ladies Cushion</i>	-	-	-	104
<i>Ladies Finger</i>	-	-	-	137
<i>Ladies Mantle</i>	-	-	-	169. 273
<i>Lady-seal</i>	-	-	-	194
<i>Ladies-slipper</i>	-	-	-	268
<i>Ladies-traces</i>	-	-	-	358
<i>Ladies-smock</i>	-	28. 58.	126, 127	
LACTUCA	-	-	-	341
<i>saligna</i>	-	-	-	379
<i>Scariola</i>	-	-	-	379
<i>virosa</i>	-	-	-	341
<i>Lakeweed</i>	-	-	-	151
<i>Lamb's-lettuce</i>	-	-	-	35. 167
LAMINUM	-	-	-	8
<i>album</i>	-	-	-	8
<i>amplexicaule</i>	-	-	-	14
<i>dissectum</i>	-	-	-	55

INDEX.

<i>purpureum</i>	- - -	Page 8
<i>Lancashire Asphodel</i>	- - -	295
LAPSANA	- - -	258
<i>communis</i>	- - -	258
<i>Larkspur</i>	- - -	225
LATHRÆA	- - -	55
<i>Squamaria</i>	- - -	55
LATHYRUS	- - -	138
<i>Aphaca</i>	- - -	249
<i>hirsutus</i>	- - -	334
<i>latifolius</i>	- - -	335
<i>Nissolia</i>	- - -	138
<i>palustris</i>	- - -	336
<i>pratensis</i>	- - -	335
<i>sylvestris</i>	- - -	335
LAVATERA	- - -	333
<i>arborea</i>	- - -	334
<i>Lavender-thrift</i>	- - -	293
LEMNA	- - -	71
<i>gibba</i>	- - -	269
<i>minor</i>	- - -	159
<i>polyrhiza</i>	- - -	72
<i>trisulea</i>	- - -	159
LEONTODON	- - -	9

INDEX.

autumnale	- - -	Page 342
hirtum	- - -	256
hispidum	- - -	144
officinalis	- - -	9
Taraxacum	- - -	256
LEONURUS	- - -	232
cardiaca	- - -	232
<i>Leopard's-bane</i>	- - -	148
LEPIDIUM	- - -	27
didymum	- - -	239
latifolium	- - -	239
ruderae	- - -	239
petræum	- - -	27
<i>Lettuce</i>	- - 342. 379. 380	
LEUCOJUM	- - -	97
Æstivum	- - -	97
LIGUSTICUM	- - -	287
cornubiense	- - -	288
scoticum	- - -	288
LIGUSTRUM	- - -	151
vulgare	- - -	151
<i>Lily of the Valley</i>	- - -	99
<i>Lime-Tree</i>	- - -	316
LIMOSELLA	- - -	330
aquatica	- - -	331

INDEX.

LINNÆA	-	-	-	Page 237
borealis	-	-	-	237
<i>Ling</i>	-	-	-	198
LINUM	-	-	-	96
catharticum	-	-	-	97
perenne	-	-	-	191
Radiola	-	-	-	369
tenuifolium	-	-	-	191
usifatissimum	-	-	-	293
<i>Liquorice</i>	-	-	-	251
LITHOSPERMUM	-	-	-	37
arvense	-	-	-	83
officinale	-	-	-	83
purpuro-cæruleum	-	-	-	37
LITTORELLA	-	-	-	166
lacustris	-	-	-	166
<i>Live for ever</i>	-	-	-	350
<i>Lizard-flower</i>	-	-	-	156
LOBELIA	-	-	-	279
Dortmanna	-	-	-	279
urens	-	-	-	279
<i>London-pride</i>	-	-	-	204
LONICERA	-	-	-	6
Periclymenum	-	-	-	6

INDEX.

Xylosteum	-	-	Page 87
<i>Loosestrife</i>	-	-	175
<i>Lords and Ladies</i>	-	-	118
Lotus	-	-	253
corniculatus	-	-	253
<i>Loufewort</i>	-	-	56. 236
<i>Loveage</i>	-	-	288
<i>Lucern</i>	-	-	254
<i>Lungwort</i>	-	19. 275.	344
LYCHNIS	-	-	106
dioica	-	-	107
Flos-Cuculi	-	-	213
vespertina	-	-	213
viscaria	-	-	107
LYCOPSIS	-	-	172
arvensis	-	-	172
LYCOPUS	-	-	267
europæus	-	-	267
LYSIMACHIA	-	-	86
nemorum	-	-	86
Nummularia	-	-	175
thyrsiflora	-	-	175
vulgaris	-	-	174
LYTHRUM	-	-	311

INDEX.

Hyssopifolium	- -	Page 311
Salicaria	- - -	311
<i>Madder</i>	- - -	77. 271
<i>Madnep</i>	- - -	185
<i>Madwort</i>	- - -	65
MOENCHIA	- - -	122
fativa	- - -	123
<i>Makinboy</i>	- - -	374
MALAXIS	- - -	158
paludofa	- - -	159
<i>Mallow</i>	- - -	247
MALVA	- - -	247
moschata	- - -	247
pufilla	- - -	333
rotundifolia	- - -	247
fylvestris	- - -	247
<i>Maple</i>	- - -	199
<i>Mare's-tail</i>	- - -	63
<i>Marigold</i>	- - -	262
<i>Marjoram</i>	- - -	324
MARRUBIUM	- - -	323
vulgare	- - -	323
MATRICARIA	- - -	148

INDEX.

Chamomilla	-	-	Page 148
maritima	-	-	355
parthenium	-	-	262
<i>Marsh Gentian</i>	-	-	364
<i>Marsh locks</i>	-	-	222
<i>Marsh-mallow</i>	-	-	377
<i>Marsh-marigold</i>	-	-	26
<i>Marsh trefoil</i>	-	-	174
<i>Masterwort</i>	-	-	190
<i>Matweed</i>	-	-	161
<i>May Lily</i>	-	-	99
<i>Mayweed</i>	-	-	149
<i>Mazzards</i>	-	-	110
<i>Meadow-bouts</i>	-	-	26
<i>Meadow Pinks</i>	-	-	213
<i>Meadow Saffron</i>	-	-	370
<i>Meadow Saxifrage</i>	-	-	367
<i>Meadow-sweet</i>	-	-	216, 217
<i>Mealy-Tree</i>	-	-	96
MEDICAGO	-	-	142
arabica	-	-	143
falcata	-	-	338
lupulina	-	-	143
minima	-	-	143

INDEX.

<i>muricata</i>	-	-	Page 144
<i>fativa</i>	-	-	254
<i>Medick</i>	-	-	338
<i>Medlar</i>	-	-	112
MELAMPYRUM	-	-	235
<i>arvense</i>	-	-	327
<i>cristatum</i>	-	-	235
<i>pratense</i>	-	-	327
<i>sylvaticum</i>	-	-	235
MELISSA	-	-	233
<i>Calamintha</i>	-	-	233
<i>Nepeta</i>	-	-	376
MELITTIS	-	-	233
<i>Melissophyllum</i>	-	-	234
MENTHA	-	-	320
<i>aquatica</i>	-	-	375
<i>arvensis</i>	-	-	321
<i>gentilis</i>	-	-	320
<i>hirsuta</i>	-	-	374
<i>piperita</i>	-	-	375
<i>Pulegium</i>	-	-	375
<i>rotundifolia</i>	-	-	374
<i>sylvestris</i>	-	-	374
<i>viridis</i>	-	-	320

INDEX.

MENYANTHES	.	.	Page 173
nymphoides	-	-	275
trifoliata	-	-	174
MERCURIALIS	-	-	46
annua	-	-	372
perennis	-	-	46
Mercury	-	-	372
MESPILUS	-	-	111
germanica	-	-	111
Mezereon	-	-	3
Milfoil	-	-	201. 266
Milk-Thistle	-	-	381
Milk-wort	-	-	136. 181. 251
Mill Mountain	-	-	97
Milk-weed	-	-	186
Mint	-	-	320, 321. 374, 375
Missel	-	-	79
Misseltoe	-	-	79
Methridate Mustard	-	-	124
Money-wort	-	-	175. 330
MONOTROPA	-	-	202
Hypopithys	-	-	202
MONTIA	-	-	75
fontana	-	-	75

INDEX.

<i>Moor berries</i>	- - -	Page 44
<i>Moor-grass</i>	- - -	161
<i>Moor-wort</i>	- - -	198
<i>Moss-berries</i>	- - -	44
<i>Moschatel</i>	- - -	23
<i>Mother-wort</i>	- - -	232
<i>Mountain Ash</i>	- - -	51
<i>Mountain Saffron</i>	- - -	193
<i>Mouse-ear</i>	12. 35. 49. 82. 107. 129. 145. 214. 310	
<i>Mouse-tail</i>	- - -	97
<i>Mudweed</i>	- - -	331
<i>Mugwort</i>	- - -	77
<i>Mullein</i>	- - -	178. 280
<i>Mustard</i>	- - -	244. 377
<i>MYOSOTIS</i>	- - -	82
<i>arvensis</i>	- - -	82
<i>palustris</i>	- - -	82
<i>MYOSURUS</i>	- - -	97
<i>minimus</i>	- - -	97
<i>MYRICA</i>	- - -	79
<i>Gale</i>	- - -	80
<i>MYRIOPHYLLUM</i>	- - -	102
<i>spicatum</i>	- - -	103

INDEX.

verticillatum	-	-	Page 201
<i>Myrtle-flag</i>	-	-	100
<i>Nailwort</i>	-	-	27
NARCISSUS	-	-	12
biflorus	-	-	98
poeticus	-	-	98
Pseudo-Narcissus	-	-	12
NARDUS	-	-	161
stricta	-	-	161
NARTHECIUM	-	-	295
offifragum	-	-	295
<i>Navelwort</i>	-	-	210
<i>Navew</i>	-	-	131
<i>Needle-Furze</i>	-	-	137
<i>Nep</i>	-	-	320
NEPETA	-	-	319
Cataria	-	-	320
<i>Nettle</i>	-	-	272. 360
<i>Nettle Hemp</i>	-	-	322
<i>Nightshade</i>	-	-	179. 180
<i>Nipplewort</i>	-	-	258
<i>None-so-pretty</i>	-	-	204
<i>Nonfuch</i>	-	-	143

G g

INDEX.

NYMPHÆA	-	-	Page 315
alba	-	-	315
lutea	-	-	315
 Oak	-	-	 46
OBENANTHE	-	-	188
crocata	-	-	188
fistulosa	-	-	290
pimpinelloides	-	-	290
peucedanifolia	-	-	290
ONONIS	-	-	248
arvensis	-	-	249
spinosa	-	-	334
ONOPORDUM	-	-	348
Acanthium	-	-	348
OPHRYS	-	-	34
anthropophora	-	-	157
apifera	-	-	158
aranifera	-	-	34
Corallorhiza	-	-	357
cordata	-	-	157
Loeselii	-	-	157
Monorchis	-	-	267
muscifera	-	-	70

INDEX.

Nidus-avis	-	-	Page 69
ovata	-	-	70
spiralis	-	-	357
Orache	-	-	283, 284. 362, 363
ORCHIS	-	-	30
abortiva	-	-	69
bifolia	-	-	154
conopsea	-	-	155
latifolia	-	-	68
maculata	-	-	155
mascula	-	-	30
militaris	-	-	67
Morio	-	-	66
pyramidalis	-	-	155
ustulata	-	-	67
Orchis	-	-	267
ORIGANUM	-	-	324
vulgare	-	-	324
ORNITHOGALUM	-	-	42
luteum	-	-	42
pyrenaicum	-	-	193
umbellatum	-	-	42
ORNITHOPUS	-	-	139
perpufillus	-	-	139

INDEX.

OROBANCHE	-	-	Page 122
major	-	-	122
ramosa	-	-	237
OROBUS	-	-	61
sylvaticus	-	-	138
tuberosus	-	-	61
<i>Orpine</i>	-	-	373
<i>Osier</i>	-	-	33
<i>Owler</i>	-	-	11
OXALIS	-	-	24
Acetofella	-	-	24
corniculata	-	-	106
<i>Ox-eye</i>	-	-	262
<i>Ox-lips</i>	-	-	38
<i>Ox-tongue</i>	-	-	340
<i>Paddow-pipe</i>	-	-	63
<i>Painted-cup</i>	-	-	325
<i>Pansies</i>	-	-	6
PAPAYER	-	-	222
Argemone	-	-	222
dubium	-	-	223
cambricum	-	-	224
hybridum	-	-	222

INDEX.

maritimum	-	-	Page 223
Rhæas	-	-	223
somniferum	-	-	223
PARIETARIA	-	-	78
officinalis	-	-	78
PARIS	-	-	102
quadrifolia	-	-	102
Park-leaves	-	-	339
PARNASSIA	-	-	369
palustris	-	-	369
Parsley	-	-	366. 369
Parsley-piert	-	-	63
Parsnep	-	-	190
Pasque-flower	-	-	53
PASTINACA	-	-	190
fativa	-	-	190
Paul's Betony	-	-	65
Pea	-	-	378
Pearwort	-	-	37. 82
Pear-Tree	-	-	51
Pease-Everlasting	-	-	335. 336
Peaseling	-	-	61. 138
PEDICULARIS	-	-	55
palustris	-	-	235

INDEX.

<i>sylvatica</i>	-	-	Page 55
<i>Pellitory</i>	-	-	78
<i>Penny-cress</i>	-	-	240
<i>Penny-grass</i>	-	-	234
<i>Penny-royal</i>	-	-	375
<i>Pennywort</i>	-	-	90
PEPLIS	-	-	297
Portula	-	-	297
<i>Pepperwort</i>	-	-	239
<i>Perrinwinkle</i>	-	-	18. 89
<i>Petty-whin</i>	-	-	137
PEUCEDANUM	-	-	186
minus	-	-	186
officinale	-	-	186
Silaus	-	-	366
PELLANDRIUM	-	-	188
aquaticum	-	-	188
PHYTEUMA	-	-	278
orbicularis	-	-	278
PICRIS	-	-	340
echioides	-	-	340
Hieracioides	-	-	341
<i>Pignut</i>	-	-	92
<i>Pilewort</i>	-	-	13

INDEX.

Pimpernell - Page 86, 87. 168. 177.

275

PIMPINELLA - - - 94

dioica - - - 94

magna - - - 368

saxifraga - - - 368

Pink - - 205. 306, 307

PINGUICULA - - - 66

lusitanica - - - 153

vulgaris - - - 66

PINUS - - - 134

sylvestris - - - 135

Piperwort - - - 272

Pipperidge-bush - - - 101

Piss-a-bed - - - 9

PISUM - - - 378

maritimum - - - 378

PLANTAGO - - - 166

coronopus - - - 167

lanceolata - - - 167

major - - - 166

maritima - - - 167

media - - - 166

Plantain - - 166, 167. 331

Pleasant-in-sight - - 213

INDEX.

<i>Plumb-Tree</i>	-	-	Page 50
POLEMONIUM	-	-	176
<i>cæruleum</i>	-	-	176
POLYCARPON	-	-	76
<i>tetraphyllum</i>	-	-	76
POLYGALA	-	-	135
<i>vulgaris</i>	-	-	136
POLYGONUM	-	-	45
<i>aviculare</i>	-	-	45
<i>amphibium</i>	-	-	199
<i>Bistorta</i>	-	-	102
<i>Convolvulus</i>	-	-	200
<i>Fagopyrum</i>	-	-	303
<i>Hydropiper</i>	-	-	302
<i>minus</i>	-	-	391
<i>pallidum</i>	-	-	371
<i>Perficaria</i>	-	-	303
<i>terrestre</i>	-	-	390
<i>viviparum</i>	-	-	199
<i>Pondweed</i>	-	81. 151. 170.	274
<i>Poplar</i>	-	-	22
<i>Poppy</i>	-	-	223, 224. 315
POPULUS	-	-	21
<i>alba</i>	-	-	21
<i>nigra</i>	-	-	22

INDEX.

tremula	-	-	-	Page 22
POTAMOGETON	-	-	-	80
compressum	-	-	-	170
crispum	-	-	-	81
densum	-	-	-	81
gramineum	-	-	-	274
lucens	-	-	-	170
marinum	-	-	-	274
natans	-	-	-	80
pectinatum	-	-	-	81
perfoliatum	-	-	-	170
pusillum	-	-	-	170
setaceum	-	-	-	274
POTENTILLA	-	-	-	51
alba	-	-	-	314
Anserina	-	-	-	220
argentea	-	-	-	220
aurea	-	-	-	220
fruticosa	-	-	-	219
reptans	-	-	-	220
rupestris	-	-	-	314
verna	-	-	-	52
POTERIUM	-	-	-	52
Sanguisorba	-	-	-	52

INDEX.

PRENANTHES	-	-	Page 342
<i>muralis</i>	-	-	342
<i>Prick-madam</i>	-	-	309
<i>Prickwood</i>	-	-	88
<i>Prim</i>	-	-	151
PRIMULA	-	-	1
<i>elatior</i>	-	-	38
<i>farinosa</i>	-	-	86
<i>officinalis</i>	-	-	38
<i>vulgaris</i>	-	-	1
<i>Primrose</i>	-	-	1. 86
<i>Print</i>	-	-	151
<i>Privet</i>	-	-	151
PRUNELLA	-	-	234
<i>vulgaris</i>	-	-	234
PRUNUS	-	-	25
<i>avium</i>	-	-	110
<i>Cerasus</i>	-	-	49
<i>domestica</i>	-	-	50
<i>infinitia</i>	-	-	50
<i>Padus</i>	-	-	110
<i>spinosa</i>	-	-	25
PULMONARIA	-	-	19
<i>angustifolia</i>	-	-	85

INDEX.

maritima	-	-	Page 275
officinalis	-	-	19
<i>Purflane</i>	-	-	75. 283
PYROLA	-	-	203
minor	-	-	203
rotundifolia	-	-	203
secunda	-	-	204
uniflora	-	-	303
PYRUS	-	-	51
communis	-	-	51
Malus	-	-	112
QUERCUS	-	-	45
femina	-	-	46
Robur	-	-	45
<i>Quicken-Tree</i>	-	-	51
<i>Quick-in-hand</i>	-	-	281
<i>Ragged-Robin</i>	-	-	213
<i>Ragwort</i>	-	-	261
<i>Rampions</i>	-	-	277, 278
<i>Ramsons</i>	-	-	99
RANUNCULUS	-	-	7
acris	-	-	228

INDEX.

aquaticus	-	-	Page 119
arvensis	-	-	228
auricomus	-	-	53
bulbosus	-	-	119
Ficaria	-	-	13
Flammula	-	-	227
gramineus	-	-	318
hederaceus	-	-	228
hirsutus	-	-	228
Lingua	-	-	227
parviflorus	-	-	119
repens	-	-	7
reptans	-	-	318
sceleratus	-	-	118
<i>Rape</i>	-	-	131
RAPHANUS	-	-	244
Raphanistrum	-	-	244
<i>Raspberry</i>	-	-	112
<i>Red Morocco</i>	-	-	227
<i>Redshanks</i>	-	-	76
RESEDA	-	-	215
lutea	-	-	215
Luteola	-	-	215
<i>Restharrow</i>	-	-	249. 334

INDEX.

RHAMNUS	-	-	-	Page 39
catharticus	-	-	-	39
Frangula	-	-	-	40
RHINANTHUS	-	-	-	234
Crista-galli	-	-	-	234
RHODIOLA	-	-	-	200
rosea	-	-	-	200
RIBES	-	-	-	40
alpinum	-	-	-	89
Grossularia	-	-	-	41
nigrum	-	-	-	89
rubrum	-	-	-	88
spicatum	-	-	-	40
Uva-crispa	-	-	-	41
<i>Robin-run-in-the-hedge</i>	-	-	-	54
<i>Rock-cress</i>	-	-	-	126
<i>Rocket</i>	-	-	-	59. 215. 238
ROSA	-	-	-	217
arvensis	-	-	-	313
canina	-	-	-	218
rubiginosa	-	-	-	218
spinosissima	-	-	-	217
villosa	-	-	-	217
<i>Rose</i>	-	-	-	217, 218. 314

INDEX.

<i>Rosebay</i>	-	-	-	Page 276
<i>Rosemary</i>	-	-	-	203
<i>Rosewort</i>	-	-	-	200
RUBIA	-	-	-	396
<i>tinctorum</i>	-	-	-	396
RUBUS	-	-	-	112
<i>arcticus</i>	-	-	-	113
<i>cæsius</i>	-	-	-	218
<i>Chamæmorus</i>	-	-	-	113
<i>fruticosus</i>	-	-	-	219
<i>idæus</i>	-	-	-	112
<i>saxatilis</i>	-	-	-	219
<i>Rue-weed</i>	-	-	-	226. 317, 318
RUMEX	-	-	-	101
<i>Acetosa</i>	-	-	-	195
<i>Acetofella</i>	-	-	-	101
<i>acutus</i>	-	-	-	195
<i>aureus</i>	-	-	-	298
<i>crispus</i>	-	-	-	194
<i>digynus</i>	-	-	-	101
<i>Hydro-lapathum</i>	-	-	-	298
<i>maritimus</i>	-	-	-	298
<i>obtusifolius</i>	-	-	-	298
<i>paludosus</i>	-	-	-	370

INDEX.

pulcher	-	-	Page 298
sanguineus	-	-	297
RUPPIA	-	-	274
maritima	-	-	274
Rupturewort	-	-	282. 369
RUSCUS	-	-	10
aculeatus	-	-	10
Rush	-	-	10
Saffron	-	-	5 193. 358
Sage	-	-	154
SAGINA	-	-	37
apetala	-	-	82
cerastoides	-	-	171
erecta	-	-	37
procumbens	-	-	171
SAGITTARIA	-	-	318
sagittifolia	-	-	318
Saintfoin	-	-	140
SALICORNIA	-	-	357
herbacea	-	-	357
SALIX	-	-	31
acuminata	-	-	73
alba	-	-	33

INDEX.

amygdalina	-	-	Page 32
aurita	-	-	73
caprea	-	-	72
cinerea	-	-	33
fragilis	-	-	33
fufca	-	-	73
herbacea	-	-	269
lanata	-	-	73
lapponum	-	-	160
monandra	-	-	32
myrsinites	-	-	159
pentandra	-	-	32
repens	-	-	33
reticulata	-	-	72
retufa	-	-	160
rosmarinifolia	-	-	72
rubra	-	-	33
triandra	-	-	32
viminalis	-	-	33
vitellina	-	-	72
<i>Sallow-thorn</i>	-	-	17
<i>Salfafy</i>	-	-	144
SALSOLA	-	-	284
fruticofa	-	-	364

INDEX.

Kali	-	-	Page 285
<i>Saltwort</i>	-	-	- 181
SALVIA	-	-	- 153
pratenfis	-	-	- 154
verbenaca	-	-	- 154
SAMBUCUS	-	-	- 20
Ebulus	-	-	- 292
nigra	-	-	- 20
SAMOLUS	-	-	- 177
Valerandi	-	-	- 177
<i>Samphire</i>	-	-	286. 357. 367. 388
<i>Sandwort</i>	104, 105. 208, 209.	309	
SANGUISORBA	-	-	- 168
officinalis	-	-	- 168
<i>Sanicle</i>	-	-	- 66. 91
SANICULA	-	-	- 90
europæa	-	-	- 91
SANTOLINA	-	-	- 381
maritima	-	-	- 381
SAPONARIA	-	-	- 306
officinalis	-	-	- 306
<i>Satyrion</i>	-	-	- 156
SATYRIUM	-	-	- 156
albidum	-	-	- 156

H h

INDEX.

<i>hircinnum</i>	-	-	Page 156
<i>repens</i>	-	-	157
<i>viride</i>	-	-	156
<i>Sauce-alone</i>	-	-	59
<i>Saw-wort</i>	-	-	347. 381
SAXIFRAGA	-	-	46
<i>aizoides</i>	-	-	304
<i>cernua</i>	-	-	304
<i>granulata</i>	-	-	47
<i>Hirculus</i>	-	-	304
<i>hypnoides</i>	-	-	103
<i>moschata</i>	-	-	304
<i>nivalis</i>	-	-	47
<i>oppositifolia</i>	-	-	47
<i>petræa</i>	-	-	48
<i>stellaris</i>	-	-	204
<i>tridactylites</i>	-	-	47
<i>umbrosa</i>	-	-	204
<i>Saxifrage</i> 23. 47. 104. 288. 304, 305.			
367.			
SCABTOSA	-	-	162
<i>arvensis</i>	-	-	163
<i>columbaria</i>	-	-	163
<i>fuccifa</i>	-	-	162

INDEX.

<i>Scabious</i>	-	-	Page 163. 177
SCANBIX	-	-	93
<i>Anthriscus</i>	-	-	92
<i>Cerefolium</i>	-	-	93
<i>odorata</i>	-	-	189
<i>Pecten</i>	-	-	189
SCILLA	-	-	20
<i>autumnalis</i>	-	-	369
<i>bifolia</i>	-	-	20
<i>nutans</i>	-	-	43
<i>verna</i>	-	-	99
SCLERANTHUS	-	-	305
<i>annuus</i>	-	-	305
<i>perennis</i>	-	-	305
<i>polycarpos</i>	-	-	306
<i>Scorpion-grafs</i>	-	-	82
<i>Scotch-Fir</i>	-	-	135
<i>Scrooby-grafs</i>	-	-	57
SCROPHULARIA	-	-	56
<i>aquatica</i>	-	-	330
<i>nodosa</i>	-	-	121
<i>Scorodonia</i>	-	-	329
<i>vernalis</i>	-	-	56
<i>Scurvy-grafs</i>	-	57. 125. 241. 276	

INDEX.

SCUTELLARIA	-	-	Page 324
galericulata	-	-	376
minor	-	-	325
<i>Sea-Colewort</i>	-	-	131
<i>Sea-Gillflower</i>	-	-	96
<i>Sea-Holly</i>	-	-	285
<i>Sea-Lavender</i>	-	-	293
<i>Sea-Parsley</i>	-	-	288
<i>Sea-Rocket</i>	-	-	238
SEDUM	-	-	106
acre	-	-	211
album	-	-	211
anglicum	-	-	106
dasphyllum	-	-	112
reflexum	-	-	309
rupestre	-	-	310
sexangulare	-	-	211
Telephium	-	-	372
villosum	-	-	211
<i>Selfheal</i>	-	-	234
SELINUM	-	-	185
palustre	-	-	186
SEMPERVIVUM	-	-	313
tectorum	-	-	313

INDEX.

SENECIO	-	-	-	Page 9
aquaticus	-	-	-	353
Jacobæa	-	-	-	261
laracenicus	-	-	-	353
paludosus	-	-	-	385
sylvaticus	-	-	-	352
tenuifolius	-	-	-	385
viscosus	-	-	-	384
vulgaris	-	-	-	9
<i>Sengreen</i>	-	-	-	23
<i>Septfoil</i>	-	-	-	221
SERAPIAS	-	-	-	71
ensifolia	-	-	-	268
grandiflora	-	-	-	268
latifolia	-	-	-	71
longifolia	-	-	-	158
rubra	-	-	-	358
SERRATULA	-	-	-	347
alpina	-	-	-	380
arvensis	-	-	-	347
tinctoria	-	-	-	347
<i>Service-Tree</i>	-	-	-	111
<i>Service</i>	-	-	-	51
<i>Shepherd's-needle</i>	-	-	-	93. 189

INDEX.

<i>Shepherd's-purse</i>	- -	Page 27. 57
<i>Shepherd's-rod</i>	- - -	359
SHERARDIA	- - -	76
arvensis	- - -	76
<i>Shoreweed</i>	- - -	166
SIBBALDIA	- - -	294
procumbens	- - -	294
SIBTHORPIA	- - -	330
europæa	- - -	330
<i>Silverweed</i>	- -	220. 294
SILENE	- - -	48
acaulis	- - -	104
anglica	- - -	206
Armeria	- - -	308
conica	- - -	207
econoidea	- - -	396
maritima	- - -	48
noctiflora	- - -	308
nutans	- - -	207
quinquevulnera	- -	206
<i>Simpler's Joy</i>	- - -	230
<i>Simson</i>	- - -	9
SINAPIS	- - -	132
alba	- - -	377

INDEX.

arvensis	-	-	Page 132
nigra	-	-	244
Sison	-	-	187
Amomum	-	-	367
inundatum	-	-	187
segetum	-	-	289
verticillatum	-	-	367
SISYMBRIUM	-	-	127
amphibium	-	-	242
Irio	-	-	127
Nasturtium	-	-	241
Sophia	-	-	332
sylvestre	-	-	241
terrestre	-	-	242
SIUM	-	-	187
angustifolium	-	-	288
latifolium	-	-	288
nodiflorum	-	-	289
repens	-	-	187
Skullcap	-	-	385
Sloe-Tree	-	-	25
Smallage	-	-	369
SMYRNIUM	-	-	93
Olusatrum	-	-	94

INDEX.

<i>Snakerweed</i>	Page 45. 102. 199. 200.
371. 391	
<i>Snapdragon</i>	236, 237. 327, 328, 329
<i>Sneezewort</i>	- - - 263
<i>Snowdrop</i>	- - - 2
<i>Soapwort</i>	- - - 305
SOLANUM	- - - 179
<i>Dulcamara</i>	- - - 179
<i>nigrum</i>	- - - 179
SOLIDAGO	- - - 353
<i>cambrica</i>	- - - 353
<i>Laponica</i>	- - - 386
<i>Virga-aurea</i>	- - - 386
<i>Solomon's-seal</i>	- - 100. 296
SONCHUS	- - - 256
<i>arvensis</i>	- - - 379
<i>canadensis</i>	- - - 379
<i>oleraceus</i>	- - - 256
<i>palustris</i>	- - - 341
<i>Sorb</i>	- - - 51. 111
SORBUS	- - - 50
<i>aucuparia</i>	- - - 51
<i>domestica</i>	- - - 51
<i>hybrida</i>	- - - 111

INDEX.

<i>Sorrell</i>	-	-	Page 24. 101. 195
<i>Southernwood</i>	-	-	350. 382, 383
<i>Sowbane</i>	-	-	- 361
<i>Sow-thistle</i>	-	-	256. 341. 379
SPARTIUM	-	-	- 136
<i>scoparium</i>	-	-	- 136
<i>Spatling-poppy</i>	-	-	- 206
<i>Spearwort</i>	-	-	- 227
<i>Speedwell</i>	5. 16. 31. 64, 65. 152,		153. 266
SPERGULA	-	-	- 214
<i>arvensis</i>	-	-	- 310
<i>nodosa</i>	-	-	- 311
<i>tubulata</i>	-	-	- 214
<i>Spignell</i>	-	-	- 366
<i>Spider Ophrys</i>	-	-	- 34
<i>Spindle-Tree</i>	-	-	- 88
SPIRÆA	-	-	- 216
<i>Fillipendula</i>	-	-	- 216
<i>falicifolia</i>	-	-	- 313
<i>Ulmaria</i>	-	-	- 217
<i>Spoonwort</i>	-	-	- 125
<i>Spring-grass</i>	-	-	- 74
<i>Spurge</i>	109, 110. 216. 312. 373, 374		

INDEX.

<i>Spurge-Laurel</i>	-	-	Page 22
<i>Spurge-Olive</i>	-	-	3
<i>Spurry</i>	-	-	209. 214. 311
<i>Squill</i>	-	-	20. 99. 370
<i>Squinancy-berries</i>	-	-	89
<i>Squinancy-wort</i>	-	-	164
STACHYS	-	-	231
<i>arvensis</i>	-	-	231
<i>germanica</i>	-	-	232
<i>palustris</i>	-	-	375
<i>sylyatica</i>	-	-	231
STAPHYLÆA	-	-	190
<i>pinnata</i>	-	-	190
<i>Star-grass</i>	-	-	30. 390
<i>Star of the Earth</i>	-	-	167
<i>Star-Thistle</i>	-	-	356
<i>Starwort</i>	-	-	386
STATICE	-	-	96
<i>Armeria</i>	-	-	96
<i>Limonium</i>	-	-	292
<i>reticulata</i>	-	-	293
<i>St. Barnaby's Thistle</i>	-	-	388
STELLARIA	-	-	23
<i>cerastoides</i>	-	-	298

INDEX.

glauca	-	-	-	Page 207
graminea	-	-	-	105
Holosteia	-	-	-	24
media	-	-	-	24
nemorum	-	-	-	207
uliginosa	-	-	-	208
<i>Stichwort</i>	-	24. 37. 105. 207, 208		
<i>St. James's-wort</i>	-	-	-	261
<i>St. John's-wort</i>	-	255. 339, 340		
<i>Stockbill</i>	-	-	-	60
<i>Stonecrop</i>	106. 211, 212. 309, 310.			
	364			
<i>Stone-Parsley</i>	-	-	-	366, 367
<i>Stonewort</i>	-	-	150. 265. 289	
<i>Strapwort</i>	-	-	-	191
STRATIOTES	-	-	-	225
Aloides	-	-	-	225
<i>Strawberry-Tree</i>	-	-	103. 391	
<i>Strawberry</i>	-	-	13. 114	
SUBULARIA	-	-	-	239
aquatica	-	-	-	239
<i>Succory</i>	-	-	341. 346	
<i>Sulphurwort</i>	-	-	186. 290. 367	
<i>Sundew</i>	-	-	-	294

INDEX.

<i>Sweet-briar</i>	-	-	Page 218
<i>Sweet-Flag</i>	-	-	100
<i>Sweet-Williams</i>	-	-	205. 306
<i>Sweet-Willow</i>	-	-	80
SWERTIA	-	-	364
<i>perennis</i>	-	-	364
<i>Swine's-cress</i>	-	-	241
<i>Swine's-fuccory</i>	-	-	145
<i>Sycamore-Tree</i>	-	-	45
SYMPHYTUM	-	-	85
<i>officinale</i>	-	-	85
<i>tuberosum</i>	-	-	85
TAMARIX	-	-	292
<i>gallica</i>	-	-	292
TAMUS	-	-	194
<i>communis</i>	-	-	194
TANACETUM	-	-	260
<i>vulgare</i>	-	-	260
<i>Tansy</i>	-	-	261
<i>Tare</i>	-	62. 139. 250.	335
<i>Tassel-grass</i>	-	-	274
TAXUS	-	-	44
<i>baccata</i>	-	-	14

INDEX.

<i>Teasel</i>	-	-	Page 162
TEUCRIUM	-	-	230
Chamædrys	-	-	230
Scordium	-	-	319
Scorodonia	-	-	319
THALICTRUM	-	-	226
alpinum	-	-	226
flavum	-	-	226
majus	-	-	317
minus	-	-	317
THESIUM	-	-	181
linophyllum	-	-	181
<i>Thistle</i>	146. 259, 260. 347, 348.		381
THLASPI	-	-	26
alpestre	-	-	331
arvense	-	-	240
Bursa-pastoris	-	-	27
campestre	-	-	124
montanum	-	-	240
perfoliatum	-	-	56
<i>Thorn Apple</i>	-	-	281
<i>Thoroughwax</i>	-	-	182. 286
<i>Thrift</i>	-	-	96
<i>Thrumwort</i>	-	-	195. 300

INDEX.

<i>Thyme</i>	-	-	Page 232
THYMUS	-	-	232
Acinos	-	-	233
terpyllum	-	-	232
TILIA	-	-	316
eurepæa	-	-	316
TILLÆA	-	-	76
muscosa	-	-	76
<i>Toad-flax</i>	-	-	329
<i>Toad-grafs</i>	-	-	79
TOFIELDIA	-	-	299
palustris	-	-	299
<i>Toothwort</i>	-	-	55
TORDYLIUM	-	-	182
maximum	-	-	183
officinale	-	-	183
<i>Tormentil</i>	-	-	113. 221
TORMENTILLA	-	-	113
officinalis	-	-	221
reptans	-	-	113
<i>Touch-me-not</i>	-	-	281
<i>Tower Mustard</i>	-	-	130
<i>Towerwort</i>	-	-	243
TRAGOPOGON	-	-	144

INDEX.

porrifolium	-	-	Page 144
pratense	-	-	255
<i>Traveller's Joy</i>	-	-	317
<i>Treacle-mustard</i>	-	-	240
<i>Tree-mallow</i>	-	-	334
<i>Trefoil</i>	141, 142, 143. 174. 251. 252,		
	253. 338. 378		
TRIENTALIS	-	-	196
europæa	-	-	196
TRIFOLIUM	-	-	140
arvense	-	-	337
filiforme	-	-	142
fragiferum	-	-	378
glomeratum	-	-	141
hybridum	-	-	141
maritimum	-	-	252
medium	-	-	338
ochroleucum	-	-	252
M. officinalis	-	-	252
M. Ornithopodioides	-	-	251
pratense	-	-	142
procumbens	-	-	253
repens	-	-	141
scabrum	-	-	142

INDEX.

<i>friatum</i>	-	-	Page 252
<i>subterraneum</i>	-	-	141
<i>suffocatum</i>	-	-	253
TRIGLOCHIN	-	-	101
<i>maritimum</i>	-	-	102
<i>palustre</i>	-	-	299
TROLLIUS	-	-	120
<i>europæus</i>	-	-	120
<i>True-love</i>	-	-	102
<i>Tuberoot</i>	-	-	370
<i>Tulip</i>	-	-	42
TULIPA	-	-	42
<i>sylvestris</i>	-	-	42
<i>Turkey pod</i>	-	-	129, 130
TURRITIS	-	-	130
<i>glabra</i>	-	-	130
<i>hirsuta</i>	-	-	243
TUSSILAGO	-	-	15
<i>Farfara</i>	-	-	15
<i>hybrida</i>	-	-	62
<i>Petasites</i>	-	-	28
<i>Tutsan</i>	-	-	339
<i>Twayblade</i>	70. 157, 158, 159, 267.		
	357, 358		

INDEX.

ULEX	-	-	-	Page 4
europæus	-	-	-	4
ULMUS	-	-	-	19
campestris	-	-	-	19
montana	-	-	-	20
<i>Upland Burnet</i>	-	-	-	52
URTICA	-	-	-	271
dioica	-	-	-	272
pilulifera	-	-	-	360
urens	-	-	-	272
UTRICULARIA	-	-	-	266
minor	-	-	-	266
vulgaris	-	-	-	266
VACCINIUM	-	-	-	21
Myrtillus	-	-	-	43
Oxycoccus	-	-	-	44
uliginosum	-	-	-	44
Vitis-idæa	-	-	-	21
<i>Valerian</i>	-	-	-	74. 160. 176
VALERIANA	-	-	-	34
dioica	-	-	-	74
locusta	-	-	-	34
officinalis	-	-	-	160

INDEX.

rubra	- - -	Page 74
VELLA	- - -	238
annua	- - -	238
<i>Velvet-leaf</i>	- - -	334
<i>Venus-comb</i>	- - -	189
<i>Venus' Looking-glass</i>	- - -	177
VERBASCUM	- - -	178
Blattaria	- - -	178
Lychnitis	- - -	280
nigrum	- - -	280
Thapsoides	- - -	280
Thapsus	- - -	178
virgatum	- - -	280
VERBENA	- - -	229
officinalis	- - -	229
VERONICA	- - -	5
agrestis	- - -	5
alpina	- - -	64
Anagallis	- - -	266
arvensis	- - -	64
Beccabunga	- - -	152
Chamædrys	- - -	65
hedææfolia	- - -	16
humifusa	- - -	65

INDEX.

hybrida	-	-	-	Page 266
montana	-	-	-	65
officinalis	-	-	-	64
saxatilis	-	-	-	152
spicata	-	-	-	152
serpyllifolia	-	-	-	64
scutellata	-	-	-	153
triphyllus	-	-	-	31
verna	-	-	-	31
<i>Vervain</i>	-	-	-	230
<i>Vetch</i>	62.	138,	139, 140.	249, 250.
	336,	337		
<i>Vetchling</i>	-	-	-	249. 335
VIBURNUM	-	-	-	95
Lantana	-	-	-	96
OPULUS	-	-	-	96
VICIA	-	-	-	61
bithynica	-	-	-	337
Cracca	-	-	-	336
hibrida	-	-	-	250
lathyroides	-	-	-	139
lutea	-	-	-	249
fativa	-	-	-	61
sepium	-	-	-	139

INDEX.

<i>sylvatica</i>	-	-	-	Page 336
VINCA	-	-	-	18
major	-	-	-	89
minor	-	-	-	18
VIOLA	-	-	-	6
canina	-	-	-	17
hirta	-	-	-	18
lutea	-	-	-	88
odorata	-	-	-	11
palustris	-	-	-	172
tricolor	-	-	-	6
<i>Violet</i>	-	-	11. 17, 18. 88.	172
<i>Viper-grass</i>	-	-	-	173
<i>Virgin's-bower</i>	-	-	-	317
VISCUM	-	-	-	78
album	-	-	-	79
<i>Wake-Robin</i>	-	-	-	118
<i>Wall-crefs</i>	-	-	-	243
<i>Wall-flower</i>	-	-	-	128
<i>Wall-pepper</i>	-	-	-	211
<i>Wartwort</i>	-	-	-	313
<i>Water-aloes</i>	-	-	-	225

INDEX.

<i>Water-avens</i>	- -	Page 221
<i>Water-betony</i>	- -	330
<i>Water-creffes</i>	- 127. 241. 242.	332
<i>Water-dock</i>	- -	298
<i>Water-elder</i>	- -	96
<i>Water-hemlock</i>	- -	291
<i>Water-hemp</i>	- -	349
<i>Water-lily</i>	- -	275. 315
<i>Water-milfoil</i>	- -	103
<i>Water-parsnep</i>	- 187. 288, 289	
<i>Water-pepper</i>	- -	303
<i>Water-radiſh</i>	- -	242
<i>Water-violet</i>	- -	174
<i>Waterwort</i>	- -	371
<i>Way-bread</i>	- -	166
<i>Wayfaring-Tree</i>	- -	96
<i>Whins</i>	- -	5
<i>White-beam-Tree</i>	- -	111
<i>White-bottle</i>	- -	206
<i>White-rot</i>	- -	90
<i>White-thorn</i>	- -	50
<i>Whitlow-graſs</i>	- - 27. 48. 124	
<i>Whortle-berries</i>	- -	21. 43
<i>Wild Cheir</i>	- -	128

INDEX

<i>Wild-Briar</i>	- - -	Page 218
<i>Wilding</i>	- - -	112
<i>Wild-Parsley</i>	- - -	186
<i>Wild-Radish</i>	- - -	244
<i>Wild-Rocket</i>	- - -	131
<i>Wild Tansey</i>	- - -	220
<i>Wild-Vine</i>	- - -	75
<i>Willow</i>	32, 33. 72, 73. 159, 160.	
	269	
<i>Willow-herb</i>	175. 197. 301, 302.	
	311, 312. 376	
<i>Winter-creffes</i>	- - -	59. 128
<i>Winter-green</i>	- 196. 203, 204.	303
<i>Winter-rocket</i>	- - -	128
<i>Witch-hazel</i>	- - -	20
<i>Woad</i>	- - -	215. 238
<i>Wolffbane</i>	- - -	148
<i>Woodbine</i>	- - -	6
<i>Woodroof</i>	- - -	77
<i>Wood-sage</i>	- - -	319
<i>Wood-sorrel</i>	- - -	24
<i>Wormseed</i>	- - -	128. 332

INDEX.

Worts - - - Page 43
Woundwort - - - 231. 376

XANTHIUM - - - 182
 Strumarium - - - 182

Yarrow - - - 174. 263
Yellow-Rattle - - - 234
Yellow-wort - - - 197
Yew-Tree - - - 14

ZANICHELLIA - - - 150
 palustris - - - 151
 ZOSTERA - - - 225
 marina - - - 226
 oceanica - - - 226

FINIS.

